CRESCENT TOOLS

·CRESCENT TOOL CO.·
·JAMESTOWN, N.Y., U.S.A.·

• CATALOG THIRTY-THREE •

CRESCENT TOOLS

CATALOG NO. 33

"The Hardware Line"

WRENCHES - ADJUSTABLE
WRENCHES - OPEN END, BOX, COMBINATION
WRENCHES - SOCKET
WRENCHES - PIPE
PLIERS - ALL TYPES
SCREWDRIVERS
HACKSAWS
TIN SNIPS
AWLS
PUNCHES
CHISELS
STAR DRILLS
NAIL PULLERS
***and* OTHER**
HAND TOOLS

CRESCENT TOOL CO.
JAMESTOWN, NEW YORK, U.S.A.

COPYRIGHT 1961 — CRESCENT TOOL CO., JAMESTOWN, N. Y.

INDEX

AWLS 38
CHISELS 36
DISPLAYS 45 - 54
GENERAL INDEX 55
GRIPS, WIRE 40 - 44
HACKSAWS 33 - 34
PLIERS, MINIATURE 22
PLIERS, MISC. 25 - 30
PLIERS, SLIP JOINT 23
PLIERS, UTILITY 24
PULLERS, NAIL 39
PULLERS, STAPLE 39
PUNCHES 35
SCREWDRIVERS 37 - 38
SNIPS, AVIATION 31
SNIPS, TINNERS 32
SOCKET SETS 10 - 18
STAR DRILLS 36
TOOL CHESTS, COMPLETE 18
TOOL BOXES, EMPTY 58
TOOL ROLLS, EMPTY 57
WRENCHES, ADJUSTABLE 1 - 3
WRENCHES, END, BOX 6 - 8
WRENCHES, PIPE 19 - 20
WRENCHES, SLEEVE 43
WRENCHES, SOCKET 9-17



JAMESTOWN, NEW YORK

In the heart of western New York State's industrial area, about 400 miles west of New York City; 70 miles south of Buffalo. A few miles from the famous Chautauqua Institution. Rail, truck and air connections make prompt shipments easy to any point in the U. S. and Canada.

GUARANTEE

Each Crescent and Crestoloy Tool is guaranteed against defects in workmanship or material.

We will replace any tool which proves defective in either respect.

Defective tools should be held by jobbers for inspection by our representative. Such items should be returned to the factory *only after written permission has been obtained.*

CRESCENT TOOL CO., JAMESTOWN, NEW YORK, U.S.A.

from this modern factory —



CRESCENT TOOLS are shipped all over the world.

From a small beginning, back in 1906, when the CRESCENT brand WRENCH first made its appearance, the Crescent Tool Company has enjoyed a steady growth.

Incorporated in 1907, the new company with a score of employees and about 8000 square feet of floor space started out with the manufacture of a few hundred tools. Since that time, almost every year has brought increased sales and made necessary the frequent expansion of plant facilities.

Now, after more than half a century, Crescent employs over 600 people, occupies to capacity 241,000 square feet (about 6 acres) of floor space and turns out millions of high quality CRESCENT TOOLS each year.

No expense is spared to keep machinery and production methods up to the minute to insure that Crescent products will continue to uphold their reputation for high quality, strength and durability.

New products have been added from time to time so that the CRESCENT line today is one of the most complete in the entire hand tool industry.

Crescent is our trade-mark, registered in the United States and abroad, for wrenches and other tools. Sold by leading distributors and retailers everywhere and made only by

CRESCENT TOOL COMPANY, JAMESTOWN, NEW YORK

"CRESTOLOY"® WRENCHES

SPECIAL ALLOY STEEL

"CRESTOLOY" is the trademark of Crescent Tool Co., identifying our wrenches and other hand tools and also identifying our specially developed alloy steel made according to our own specifications and used in manufacturing our tools.

THIN, STRONG TOUGH AND DURABLE

CRESCENT's own selective induction process of electronic hardening provides the hard surface and interior toughness that gives these wrenches their rugged strength and long, useful life.

SPECIFICATIONS

SINGLE END MODELS

Catalog Number	*Size*	*Capacity*	*Thickness of Head Tip of Jaws*	*Thickest Point*	*Weight Packed*
AC14	4"	1/2"	1/8"	5/16"	2 oz.
AC16	6"	3/4"	7/32"	3/8"	4 oz.
AC18	8"	15/16"	9/32"	15/32"	8 oz.
AC110	10"	1 1/8"	13/32"	19/32"	13 oz.
AC112	12"	1 5/16"	15/32"	3/4"	1 lb. 9 oz.
AC115*	15"	1 11/16"	19/32"	15/16"	3 lbs. 4 oz.
AC118*	18"	2 1/16"	11/16"	1 1/8"	5 lbs. 2 oz.
AC124*	24"	2 7/16"	7/8"	1 13/32"	8 lbs. 15 oz.

*This size has tapered handle as shown.
Conforms to Fed. Spec. GGG-W-631a — Type I.

DOUBLE END MODELS

BC146	4- 6"	1/2- 3/4"	Same as 4 and 6" sizes	4 oz.
BC168	6- 8"	3/4- 15/16"	Same as 6 and 8" sizes	8 oz.
BC1810	8-10"	15/16-1 1/8"	Same as 8 and 10" sizes	15 oz.
BC11012	10-12"	1 1/8-1 5/16"	Same as 10 and 12" sizes	1 lb. 12 oz.

Finish: Chromium plate.
Packed—One in a box.

INSULATED CRESTOLOY WRENCHES

12 INCH WITH SPECIAL 1½ IN. CAPACITY

Heavy Tenite insulation which repeated tests have shown to have a very high dielectric strength, as well as great toughness which enables it to stand up under a surprising amount of rough treatment without chipping or cracking.

These wrenches also have greater capacity than the regular, non-insulated type. Their maximum opening of 1½ inches enables them to handle 4/0 taps. Ideal tools for linemen. More than ample strength for all requirements with the toughness and long life which is the distinguishing characteristic of Crestoloy wrenches.

Finish: Chromium plated. Transparent blue Tenite insulation moulded on handle.

Number	*Size*	*Capacity*	*Weight, Packed*
AC112-INS.	12"	1½"	1 lb. 12 oz.

Packed—One in a box.

REGULAR STYLE
4" TO 12"



TAPER HANDLE
15", 18", 24"



DOUBLE END
4 SIZES

CRESCENT TOOLS
Give Wings to Work®

"CRESTOLOCK"® LOCKING WRENCH



THIS IS IT! Not a makeshift — but a thoroughly tested, carefully engineered tool, worthy of the CRESCENT name. Check over the following list of features which a satisfactory locking wrench must or should have — and note this — only the new CRESTOLOCK wrench has them all!

ADDED FEATURE

Note the scale markings on the jaws of the wrench in the cut. This enables the user to preset the jaws of the CRESTOLOCK wrench to any sized nut. A very helpful feature, especially when working in cramped locations.

SPECIFICATIONS

Cat. No.	*Size*	*Capacity*	*Head Min.*	*Thickness Max.*	*Shipping Weight*
ACL18	8"	1 5/16"	9/32"	15/32"	8 oz.
ACL110	10"	1 1/8"	13/32"	19/32"	13 oz.
ACL112	12"	1 5/16"	15/32"	3/4"	1 lb., 9 oz.

Finish — Chromium plated wrench, stainless steel locking device.

Packed — One in a box.

1. SHOULD BE OF SIMPLE CONSTRUCTION: No complicated mechanism or tiny parts to break or get lost.
2. SHOULD OPERATE WITH ONE HAND: This is important because the other hand is often needed for something else. CRESTOLOCK works with the thumb — push to lock, pull to unlock — from either side of the wrench.
3. MUST HAVE NO EXTRA BASIC PARTS: ONE OF CRESTOLOCK'S MOST IMPORTANT FEATURES FROM THE STANDPOINT OF INVENTORY. STANDARD CRESTOLOY WRENCH JAWS, KNURLS, PINS, SPRINGS FIT CRESTOLOCK WRENCHES OF SAME SIZES.
4. MUST LOCK AT ANY POINT: AN ADJUSTABLE WRENCH MUST BE TIGHT ON A NUT TO WORK PROPERLY. CRESTOLOCK ADJUSTS AND LOCKS TO ANY SIZE NUT OR BOLT IMMEDIATELY.
5. MUST HAVE NO PROJECTIONS: BECAUSE ADJUSTABLE WRENCHES ARE SUBJECTED TO MORE ABUSE THAN ANY OTHER CLASS OF TOOLS, ANY PROJECTIONS COULD EASILY BE BROKEN. CRESTOLOCK IS TRIM AND SLIM.
6. SHOULD BE FOOL PROOF: The simplicity of CRESTOLOCK construction is such that its operation is obvious.
7. SHOULD NOT HAVE ANY WEAKNESS: In CRESTOLOCK, there is no strain on the locking device. All stresses come on those parts of the wrench designed to withstand them.
8. SHOULD HAVE STRONG LOCKING DEVICE: For long life, the locking mechanism of CRESTOLOCK Wrenches is made of quality materials, and matches the strength of the wrench itself.
9. MUST STAY LOCKED UNTIL CHANGED: DROP IT, SLIP IT IN AND OUT OF YOUR POCKET, SLIDE IT ACROSS FLOOR OR WORKBENCH — THE CRESTOLOCK ADJUSTMENT WILL NOT CHANGE UNTIL YOU CHANGE IT.
10. MUST BE OPERATIONAL WITH OR WITHOUT LOCK: UNDER THOSE CONDITIONS WHERE THE LOCK IS NOT NEEDED, CRESTOLOCK CAN BE USED AS A STANDARD CRESTOLOY WRENCH.
11. SHOULD BE EASY TO CLEAN: Cleanliness means long service in all hand tools. To clean CRESTOLOCK, merely swish it in a can of solvent to remove dirt and grease, oil it lightly and enjoy trouble-free operation.
12. MUST HAVE GOOD FITTING JAWS: THE BASIC PARTS OF CRESTOLOCK WRENCHES FIT AND OPERATE SMOOTHLY, WITHOUT PLAY, JUST LIKE STANDARD CRESTOLOY WRENCHES.

COUNTER DISPLAY

Shown below is made of heavy sheet steel with easel to hold it erect on the counter.

Contains three each of the wrenches listed above, mounted on hooks.

Packed in carton, complete.

Shipping weight, 13 pounds.

CRESCENT TOOLS *Give Wings to Work*®

CRESCENT® WRENCHES



copied by many—equalled by none!

CRESCENT brand Adjustable Wrenches are forged from special steel, particularly adapted to wrench manufacture. Careful heat treatment increases their toughness and durability. Due to their lesser cost and relatively great strength, they are widely used in industrial and service operations.

The various parts of Crescent brand Adjustable Wrenches are accurately fitted so that smooth, one-hand adjustment is possible at all times. With an occasional cleaning and oiling, a Crescent Wrench will give faithful, dependable service for years.

For the common run of every day jobs, choose CRESCENT Wrenches and be assured of satisfactory performance.

Use CRESCENT® Wrenches Correctly—



Generally speaking, the CRESCENT Adjustable Wrench should be turned in the direction indicated by the arrow in the drawing. However, when nuts are being tightened or loosened in close quarters, it is possible to use the wrench either way. That is why the jaws are at an angle to the handle.

The main point to remember is to have the jaws TIGHT on the nut. If this ordinary precaution is observed, CRESCENT and CRESTOLOY adjustable wrenches cannot slip because of their precision machining and closer tolerances which will not be found in ordinary, inferior adjustable wrenches which have loose, sloppy jaw fit.

Secondly, keep the wrench oiled and never use it as a hammer.

SPECIFICATIONS

"CRESCENT" ADJUSTABLE WRENCH SINGLE END

A tool for general use in garages, repair shops, machine shops, on the farm, in the home and anywhere else there is a need for a dependable, adjustable wrench. The Crescent Wrench is in use in all countries of the world and its users have found it absolutely dependable and serviceable.

Finish: Sides of head polished, balance of wrench black. Knurl and pin chromium plated.

Number	*Size*	*Capacity*	*Weight, Each*
AT14	4"	½"	2 oz.
AT16	6"	¾"	4 oz.
AT18	8"	15/16"	8 oz.
AT110	10"	1 1/8"	13 oz.
AT112	12"	1 5/16"	1 lb. 9 oz.
AT115*	15"	1 11/16"	3 lbs. 4 oz.
AT118*	18"	2 1/16"	5 lbs. 2 oz.

Packed—One in a box.

*Has tapered handle, like AC115, AC118 illustrated on page one.

CRESCENT TOOLS *Give Wings to Work* ®

WRENCH REPAIRS

NOTE

While Crescent "A" Series wrenches have been superseded by "AT" Series, parts for the old "A" wrenches will be available as long as there is a demand for them. Crescent realizes that there are many thousands of the old style in service throughout the world.

When parts become lost, or an overload has broken them, your CRESCENT or CRESTOLOY wrench can be made as good as new with these parts which are always available.

Dealers should have some on hand as a service to their customers.

Convenient PARTS ASSORTMENTS are shown on next page.

PARTS FOR CRESCENT "A" WRENCHES

Number	Part	Number	Part	Number	Part	Number	Part
JAWS		KNURLS		PINS		SPRINGS	
A14J	4" Jaw	A14K	4" Knurl	A14P	4" Pin	A14S	4" Spring
A16J	6" Jaw	A16K	6" Knurl	A16P	6" Pin	A16S	6" Spring
A18J	8" Jaw	A18K	8" Knurl	A18P	8" Pin	A18S	8" Spring
A110J	10" Jaw	A110K	10" Knurl	A110P	10" Pin	A110S	10" Spring
A112J	12" Jaw	A112K	12" Knurl	A112P	12" Pin	A112S	12" Spring
A115J	15" Jaw	A115K	15" Knurl	A115P	15" Pin	A115S	15" Spring
A118J	18" Jaw	A118K	18" Knurl	A118P	18" Pin	A118S	18" Spring

PARTS FOR CRESCENT "AT" WRENCHES

Number	Part	Number	Part	Number	Part	Number	Part
JAWS		KNURLS		PINS		SPRINGS	
AT14J	4" Jaw	AT14K	4" Knurl	AT14P	4" Pin	AT14S	4" Spring
AT16J	6" Jaw	AT16K	6" Knurl	AT16P	6" Pin	AT16S	6" Spring
AT18J	8" Jaw	AT18K	8" Knurl	AT18P	8" Pin	AT18S	8" Spring
AT110J	10" Jaw	AT110K	10" Knurl	AT110P	10" Pin	AT110S	10" Spring
AT112J	12" Jaw	AT112K	12" Knurl	AT112P	12" Pin	AT112S	12" Spring
AT115J	15" Jaw	AT115K	15" Knurl	AT115P	15" Pin	AT115S	15" Spring
AT118J	18" Jaw	AT118K	18" Knurl	AT118P	18" Pin	AT118S	18" Spring

PARTS FOR CRESTOLOY "AC" WRENCHES

AC14J	4" Jaw	AC14K	4" Knurl	AC14P	4" Pin	AC14S	4" Spring
AC16J	6" Jaw	AC16K	6" Knurl	AC16P	6" Pin	AC16S	6" Spring
AC18J	8" Jaw	AC18K	8" Knurl	AC18P	8" Pin	AC18S	8" Spring
AC110J	10" Jaw	AC110K	10" Knurl	AC110P	10" Pin	AC110S	10" Spring
AC112J	12" Jaw	AC112K	12" Knurl	AC112P	12" Pin	AC112S	12" Spring
AC115J	15" Jaw	AC115K	15" Knurl	AC115P	15" Pin	AC115S	15" Spring
AC118J	18" Jaw	AC118K	18" Knurl	AC118P	18" Pin	AC118S	18" Spring
AC124J	24" Jaw	AC124K	24" Knurl	AC124P	24" Pin	AC124S	24" Spring

PACKING

For convenience in identifying and keeping stock records from becoming confused, Crescent and Crestoloy parts are packed as illustrated. Silver stripe distinguishes Crestoloy jaws. Crescent "A" parts are marked with a red stripe. Crescent "AT" jaw boxes are printed in black only. "AT" and "AC" knurls, pins and springs, being interchangeable are labeled with part numbers of both. Jaws and knurls, (4" to 12" only) are packed in cartons of one dozen. Pins, each complete with spring, are packed in cellophane tape, 4 to 12 inch, one dozen in a box; 15, 18, 24 inch, six in a box. Tape perforated between each unit. Quantities required for individual orders can be easily torn off.

CRESCENT TOOLS Give Wings to Work®

CRESCENT® WRENCH PARTS *for* "A" — "AT" — "AC" SERIES

EACH SERIES IN INDIVIDUAL PLASTIC BOX

NOW you can make available to your customers the exact parts they require to get added service from their CRESCENT and CRESTOLOY Wrenches.

For the many thousands of "A" series CRESCENT Wrenches still in use (the standard of the wrench industry for over fifty years) order assortment RP-A.

For the new series "AT" thin model, black finish CRESCENT Wrench order assortment RP-AT.

For chrome plated CRESTOLOY "AC" Wrenches, order assortment RP-AC.

CONTENTS OF ASSORTMENTS

RP-A			RP-AC			RP-AT		
2 A14J	2 A14K	2 A14P.S	2 AC14J	2 AC14K	2 AC14P.S	2 AT14J	2 AT14K	2 AT14P.S
3 A16J	3 A16K	3 A16P.S	3 AC16J	3 AC16K	3 AC16P.S	3 AT16J	3 AT16K	3 AT16P.S
3 A18J	3 A18K	3 A18P.S	3 AC18J	3 AC18K	3 AC18P.S	3 AT18J	3 AT18K	3 AT18P.S
3 A110J	3 A110K	3 A110P.S	3 AC110J	3 AC110K	3 AC110P.S	3 AT110J	3 AT110K	3 AT110P.S
3 A112J	3 A112K	3 A112P.S	3 AC112J	3 AC112K	3 AC112P.S	3 AT112J	3 AT112K	3 AT112P.S

Each assortment packed in clear plastic box. *Shipping weight*—2 lbs. 14 oz. *Size of box*—7¼" x 5¼" x 1⅞".

These boxes have separate compartments for each of the five sizes of parts, and the stock numbers are printed on the cover. They occupy small space and offer a great convenience to dealers in carrying a small stock of these parts to accommodate customers. And as parts are sold, refills in any desired quantity and size can be ordered from CRESCENT jobbers.

CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT OPEN END, BOX AND COMBINATION WRENCHES

A complete, quality wrench line for every Hardware Dealer — all with the well known and respected name "CRESCENT." Double Head Open End; Double Offset Box; and the combination of both, all shown here, together with Crescent and Crestoloy Adjustable Wrenches and Crescent Socket Wrenches will fit all the wrench needs of any Hardware Retailer. Sizes offered include those in the greatest demand for general use.

SPECIFICATIONS

Catalog Number	*Nominal Openings*	*Overall Length*	*Thickness of Head O.E.*	*Thickness of Head Box*	*Outside Diameter Box End*	*Weight Packed Per Half Doz.*
OPEN-END, DOUBLE HEAD WRENCHES						
C1020	1/4" - 5/16"	3 1/2"	5/32"			3 1/2 oz.
C1721	5/16" - 3/8"	4 1/2"	3/16"			5 oz.
C1723	3/8" - 7/16"	5"	7/32"			8 oz.
C1725	7/16" - 1/2"	5 3/4"	7/32"			11 oz.
C1725-B	1/2" - 9/16"	6 1/4"	15/64"			15 1/2 oz.
C1727	9/16" - 5/8"	6 3/4"	17/64"			1 lb. 4 oz.
C1729	5/8" - 3/4"	7 3/4"	9/32"			1 lb. 12 oz.
C1731-A	3/4" - 7/8"	9"	11/32"			2 lbs. 15 oz.
C1731-B	13/16" - 7/8"	9 1/2"	11/32"			2 lbs. 15 oz.
C1033-C	15/16" - 1"	11"	13/32"			5 lbs. 5 oz.
C1034	7/8" - 1 1/16"	11"	13/32"			5 lbs. 5 oz.
C1735	1" - 1 1/8"	12 1/2"	15/32"			7 lbs. 5 oz.
C1737	1 1/8" - 1 1/4"	12 3/4"	1/2"			12 lbs. 6 oz.
COMBINATION OPEN-END AND BOX WRENCHES						
C1160	3/8"	5"	11/64"	17/64"	5/8"	6 1/2 oz.
C1161	7/16"	5 3/8"	13/64"	5/16"	43/64"	9 1/2 oz.
C1162	1/2"	6"	15/64"	11/32"	25/32"	14 oz.
C1163	9/16"	6 3/4"	9/32"	23/64"	7/8"	1 lb. 4 oz.
C1164	5/8"	7 5/8"	9/32"	3/8"	15/16"	1 lb. 5 1/2 oz.
C1165	11/16"	8 1/2"	19/64"	13/32"	1 1/32"	1 lb. 14 1/2 oz.
C1166	3/4"	9 1/2"	11/32"	7/16"	1 1/8"	2 lbs. 8 oz.
C1167-A	13/16"	11"	23/64"	1/2"	1 9/32"	3 lbs. 10 oz.
C1167	7/8"	11"	23/64"	1/2"	1 9/32"	3 lbs. 10 oz.
C1168	15/16"	13"	7/16"	9/16"	1 15/32"	5 lbs. 9 oz.
C1170	1"	13"	7/16"	9/16"	1 15/32"	6 lbs. 2 oz.
C1171	1 1/16"	15"	15/32"	5/8"	1 19/32"	9 lbs. 2 oz.
C1172	1 1/8"	15"	15/32"	19/32"	1 19/32"	8 lbs. 4 oz.
C1173	1 1/4"	18"	17/32"	23/32"	1 13/16"	12 lbs. 12 oz.
12 POINT, 45°, DOUBLE-OFFSET BOX WRENCHES						
C8723	3/8" - 7/16"	6 1/2"				13 1/2 oz.
C8725	7/16" - 1/2"	7 5/8"				15 oz.
C8725-B	1/2" - 9/16"	8 1/16"				1 lb. 10 oz.
C8727	9/16" - 5/8"	9"				2 lbs.
C8729	5/8" - 3/4"	10 1/2"				2 lbs. 4 oz.
C8731-A	3/4" - 7/8"	12 1/2"				3 lbs. 9 oz.
C8731-B	13/16" - 7/8"	12 3/4"				4 lbs. 9 oz.
C8033-C	15/16" - 1"	15 1/2"				9 lbs. 2 oz.
C8034	7/8" - 1 1/16"	15 1/2"				9 lbs. 2 oz.

Packed — Six in a carton.

Openings are accurately machined to fit standard sizes of nuts, bolts, cap screws, etc. Sizes of these for each wrench listed on box covers for convenience of sales personnel.

Wrenches are drop forged from special alloy steel particularly adapted to wrench manufacture.

Finish: Chromium plate.

Available in kits in either rolls or pouches (see pages 7 and 8) and on displays to match others in the Crescent DB1200 Series (page 48).

These wrenches conform to Fed. Spec. GGG-W-636a.
Combination — Type III
Open End — Type IV
Box — Type I, Class 2, Style A



CRESCENT TOOLS *Give Wings to Work* ®

"The Hardware Line" OF CRESCENT WRENCHES IN TOOL ROLLS

OPEN END BOX COMBINATION

CONVENIENCE

The rolls have cloth ties that keep the tools securely in place. The transparent fronts show size markings on the wrenches. Eyelets in corners for hanging up rolls either for convenience while using or for store display.

MOST WANTED SIZES

The wrenches that come in these assortments are those sizes most frequently used. Purchasers have their choice of five, six, eleven, thirteen or fourteen piece sets.

TR1705 — 5 PIECE ROLL
OPEN END WRENCHES
(at left — in color)

1 C1020	1/4" x 5/16"
1 C1723	3/8" x 7/16"
1 C1725B	1/2" x 9/16"
1 C1729	5/8" x 3/4"
1 C1731B	13/16" x 7/8"

Packed one in a box.
Shipping Weight, 1 lb., 6 oz.

TR1706 — 6 PIECE ROLL
OPEN END WRENCHES

1 C1020	1/4" x 5/16"
1 C1723	3/8" x 7/16"
1 C1725B	1/2" x 9/16"
1 C1729	5/8" x 3/4"
1 C1731B	13/16" x 7/8"
1 C1033C	15/16" x 1"

Packed one in a box.
Shipping Weight, 1 lb., 11 oz.

TR1706

TR1105 — 5 PIECE ROLL
COMBINATION WRENCHES

1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"

Packed one in a box.
Shipping Weight, 1 lb., 3 oz.

TR1105

TR1106

TR1106 — 6 PIECE ROLL
COMBINATION WRENCHES

1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"
1 C1166	3/4"

Packed one in a box.
Shipping Weight, 1 lb., 8 oz.

TR8705

TR8705 — 5 PIECE ROLL
DOUBLE END BOX WRENCHES

1 C8723	3/8" x 7/16"
1 C8725B	1/2" x 9/16"
1 C8729	5/8" x 3/4"
1 C8731B	13/16" x 7/8"
1 C8033C	15/16" x 1"

Packed one in a box.
Shipping Weight, 3 lbs., 2 oz.

TR8706 — 6 PIECE ROLL
DOUBLE END BOX WRENCHES
Same as TR8705 plus

1 C8034	7/8" x 1 1/16"

Shipping Weight, 4 lbs., 4 oz.



TR1111

TR1111 — 11 PIECE ROLL — COMBINATION WRENCHES

1 C1160	3/8"
1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"
1 C1166	3/4"
1 C1167A	13/16"
1 C1167	7/8"
1 C1168	15/16"
1 C1170	1"

Packed one in a box.
Shipping Weight, 5 lbs., 4 oz.

CRESCENT TOOLS *Give Wings to Work* ®



TR1114 — 14 PIECE ROLL — COMBINATION WRENCHES

C1160	3/8"	C1165	11/16"	C1170	1"
C1161	7/16"	C1166	3/4"	C1171	1 1/16"
C1162	1/2"	C1167-A	13/16"	C1172	1 1/8"
C1163	9/16"	C1167	7/8"	C1173	1 1/4"
C1164	5/8"	C1168	15/16"		

Packed one in a box. Shipping Weight, 10 lbs., 12 oz.

This roll does not have transparent tool pockets.



TR1713 — 13 PIECE ROLL — OPEN END WRENCHES

C1020	1/4" & 5/16"	C1727	9/16" & 5/8"	C1033-C	15/16" & 1"
C1721	5/16" & 3/8"	C1729	5/8" & 3/4"	C1034	7/8" & 1 1/16"
C1723	3/8" & 7/16"	C1731-A	3/4" & 7/8"	C1735	1" & 1 1/8"
C1725	7/16" & 1/2"	C1731-B	13/16" & 7/8"	C1737	1 1/8" & 1 1/4"
C1725-B	1/2" & 9/16"				

Packed one in a box. Shipping Weight, 7 lbs., 12 oz.

This roll does not have transparent tool pockets.

WRENCHES IN TOOL POUCHES



ATTRACTIVE PACKAGING

Bright red vinyl plastic forms the back of these tool pouches and the fronts are the same material, but transparent for easy selection of needed sizes. The binding is of leatherette material. The Crescent trademark printed in white and the chrome finish of the wrenches contrasting with the red makes these sets exceptionally eye appealing.

TP1706 — 6 PIECE POUCH
OPEN END WRENCHES

TP1706

1	C1020	1/4" x 5/16"
1	C1723	3/8" x 7/16"
1	C1725B	1/2" x 9/16"
1	C1729	5/8" x 3/4"
1	C1731B	13/16" x 7/8"
1	C1033C	15/16" x 1"

Packed one in a box.
Shipping Weight, 1 lb., 10 oz.

TP1705 — 5 PIECE POUCH
OPEN END WRENCHES

TP1705

1	C1020	1/4" x 5/16"
1	C1723	3/8" x 7/16"
1	C1725B	1/2" x 9/16"
1	C1729	5/8" x 3/4"
1	C1731B	13/16" x 7/8"

Packed one in a box.
Shipping Weight, 1 lb., 5 oz.

TP1106 — 6 PIECE POUCH
COMBINATION WRENCHES

1	C1161	7/16"
1	C1162	1/2"
1	C1163	9/16"
1	C1164	5/8"
1	C1165	11/16"
1	C1166	3/4"

TP1106

Packed one in a box.
Shipping Weight, 1 lb., 7 oz.

TP1105 — 5 PIECE POUCH
COMBINATION WRENCHES

1	C1161	7/16"
1	C1162	1/2"
1	C1163	9/16"
1	C1164	5/8"
1	C1165	11/16"

TP1105

Packed one in a box.
Shipping Weight, 1 lb., 2 oz.

CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT SOCKET WRENCHES

"The Hardware Line" **1/4" SQUARE DRIVE**



CM600 SERIES



CM800 SERIES



CM4 CM12 CM25 CM17 CM21 CM70

These items conform to Fed. Spec. GGG-W-641b.

"MIDGET" SOCKETS AND ATTACHMENTS

Especially designed for workmen whose tasks include adjustment and maintenance of fine and intricate machinery. The finely made sockets slip on and off handles and attachments easily — but not accidentally.

PRECISION MACHINED



The skill of a watchmaker is exercised in the manufacture of these small items. Note the clean, sharp teeth that grip the nut hard, yet let go as soon as pressure is released. Note the thin walls of uniform thickness that stand up under hard use.

6 POINT SOCKETS

NUMBER	SIZE	WEIGHT PER HALF DOZ.	NUMBER	SIZE	WEIGHT PER HALF DOZ.
CM606	3/16"	3 oz.	CM611	11/32"	4½ oz.
CM607	7/32"	3 oz.	CM612	3/8"	5½ oz.
CM608	1/4"	3½ oz.	CM614	7/16"	6½ oz.
CM609	9/32"	3½ oz.	CM616	1/2"	7½ oz.
CM610	5/16"	3½ oz.			

8 POINT SOCKETS

CM808	1/4"	3½ oz.	CM812	3/8"	5½ oz.
CM810	5/16"	4½ oz.			

HANDLES, ATTACHMENTS

NUMBER	ITEM	PACKED	WEIGHT, EA.
CM4	2" Extension	6	2 oz.
CM12	6" Extension	6	2½ oz.
CM17	Flex Handle	3	4½ oz.
CM21	Cross Bar	6	1½ oz.
CM25	Spinner, Tenite Handle	6	2¼ oz.
CM70	Reversible Ratchet	1	3½ oz.

Finish: All items chromium plated.

Sets available in metal boxes. See page 10 for details.

CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT SOCKET WRENCH SETS

These items carry out the Crescent policy of providing quality tools at moderate prices. Users of socket wrenches can depend on the strength of these tools, their accurate fit on nuts and bolts, and the ease with which sockets and drives fit together. Ratchets have fine teeth, assuring their ability to work in close quarters where only a minimum swing is possible. These sets come in good looking sturdy metal boxes with hinged covers. Bolts and nuts stay tight when turned down with Crescent Sockets.

"The Hardware Line"

1/4" SQUARE DRIVE SPINNER SET No. CMB10

SPINNER "MIDGET" SOCKET SET No. CMB10

This ten piece set is for light, fast work. Spinner handle fits the hand nicely. Box size 7" x 2⅛" x 1". Box has space for additional sockets if needed.

Contents as follows:

1 CM25 6" Spinner, Tenite Handle
1 CM608 ¼" 6 Point Socket
1 CM609 9/32" 6 Point Socket
1 CM610 5/16" 6 Point Socket
1 CM611 11/32" 6 Point Socket
1 CM612 ⅜" 6 Point Socket
1 CM614 7/16" 6 Point Socket
1 CM808 ¼" 8 Point Socket
1 CM810 5/16" 8 Point Socket
1 CM812 ⅜" 8 Point Socket

Shipping weight, 13 oz.

1/4" SQUARE DRIVE BASIC SET No. CMB11

BASIC "MIDGET" SOCKET SET No. CMB11

This eleven piece set contains essential items for the average occasional user of socket wrenches. Packed in metal box 6½ x 3 x 1¼ inches with hinged cover. Room for additional items which may be purchased later.

Contents as follows:

1 CM17 Flex Handle
1 CM21 Cross Bar
1 CM608 ¼" 6 Pt. Socket
1 CM609 9/32" 6 Pt. Socket
1 CM610 5/16" 6 Pt. Socket
1 CM611 11/32" 6 Pt. Socket
1 CM612 ⅜" 6 Pt. Socket
1 CM614 7/16" 6 Pt. Socket
1 CM808 ¼" 8 Pt. Socket
1 CM810 5/16" 8 Pt. Socket
1 CM812 ⅜" 8 Pt. Socket

Shipping weight, 1 lb. 4 oz.

1/4" SQUARE DRIVE MECHANICS' SET No. CMB16

MECHANICS' "MIDGET" SOCKET SET No. CMB16

A complete set for those who work on small machines and equipment and require strength and long life in the tools they use. This set is packed in a sturdy metal box 6½ x 3 x 1¼ inches with hinged cover. This box fits into the corner of the box containing Crescent's ½" drive set No. CSB18.

Contents as follows:

1 CM4 2" Extension
1 CM12 6" Extension
1 CM17 Flex Handle
1 CM21 Cross Bar
1 CM70 Reversible Ratchet
1 CM606 3/16" 6 Pt. Socket
1 CM607 7/32" 6 Pt. Socket
1 CM608 ¼" 6 Pt. Socket
1 CM609 9/32" 6 Pt. Socket
1 CM610 5/16" 6 Pt. Socket
1 CM611 11/32" 6 Pt. Socket
1 CM612 ⅜" 6 Pt. Socket
1 CM614 7/16" 6 Pt. Socket
1 CM808 ¼" 8 Pt. Socket
1 CM810 5/16" 8 Pt. Socket
1 CM812 ⅜" 8 Pt. Socket

Shipping weight, 1 lb. 14 oz.

CRESCENT TOOLS Give Wings to Work®

CRESCENT SOCKET WRENCHES

"The Hardware Line"

3/8" SQUARE DRIVE

12 POINT REGULAR SOCKETS — CT12 SERIES



12 POINT DEEP SOCKETS — CTD12 SERIES



12 POINT FLEX SOCKETS — CTF12 SERIES



The 3/8" square drive is used extensively in maintenance work on modern automobiles, aircraft, small machinery, etc. The items shown here are sturdy and strong, yet their thin walls get them into close quarters with ease. Hot forged or broached from special alloy steel.

These items conform to Fed. Spec. GGG-W-641b.

12 POINT STANDARD SOCKETS

Number	Size	Weight Per Half Doz.
CT1212	3/8"	3 oz.
CT1214	7/16"	3 oz.
CT1216	1/2"	4½ oz.
CT1218	9/16"	6 oz.
CT1220	5/8"	6½ oz.
CT1222	11/16"	7 oz.
CT1224	3/4"	8 oz.

12 POINT DEEP SOCKETS

Number	Size	Weight Per Half Doz.
CTD1212	3/8"	10 oz.
CTD1214	7/16"	10 oz.
CTD1216	1/2"	11½ oz.
CTD1218	9/16"	12 oz.
CTD1220	5/8"	13½ oz.
CTD1222	11/16"	1 lb. 7 oz.
CTD1224	3/4"	1 lb. 8½ oz.
CTD1226	13/16"	1 lb. 11 oz.

12 POINT FLEX SOCKETS

Makes it easy to work in hard to reach places.

Number	Size	Weight Per Half Doz.
CTF1212	3/8"	7 oz.
CTF1214	7/16"	7½ oz.
CTF1216	1/2"	8 oz.
CTF1218	9/16"	8½ oz.
CTF1220	5/8"	10 oz.
CTF1222	11/16"	11 oz.
CTF1224	3/4"	11½ oz.

HANDLES, DRIVES AND ATTACHMENTS

Spring ball locks sockets firmly in place.

Number	Item	Packed In Box	Weight Per Box
CT10	Adapter— 3/8" Female to 1/2" Male	6	8 oz.
CT11	Universal	6	9 oz.
CT12	5" Ext.	6	1 lb. 1 oz.
CT13	12" Ext.	6	1 lb. 3 oz.
CT15	Speeder	1	8 oz.
CT17	Flex. Hdl.	3	1 lb. 6½ oz.
CT21	Cross Bar	6	8 oz.
CT22	3" Ext.	6	11 oz.
CT70	Rev. Rtcht.	1	7 oz.
CT70K	Ratchet Rep. Kit	1	3¼ oz.

The Crescent line of 3/8" square drive sockets and handles includes only the most used sizes and will handle the wide variety of small nuts found on modern equipment of all types. Chamfered drive openings help in speedy changes from one size to another. Accuracy in all machine operations assures accurate fit on standard nuts and bolts.

Chromium plated finish. All sockets packed six in a box. Drives, handles, etc., packed as indicated. Sold only in full packages.

Several sets available. See page 12. Display panel shown on page 49.

CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT SOCKET WRENCH SETS

3/8" SQUARE DRIVE



CTB30

CTB14

CTB10

CTDB8

CTFB7

One of these sets will take care of almost any requirement for users of 3/8" Square Drive Sockets. All metal boxes are made of heavy gauge steel with piano hinge and sturdy catch.

COMPLETE SET No. CTB30 — 30 PC.

One each of the following in a box 18¼" x 6" x 1¾" with suitable partitions to keep items in position for easy selection.

12 Pt. Standard Sockets

CT1212 — 3/8"
CT1214 — 7/16"
CT1216 — 1/2"
CT1218 — 9/16"
CT1220 — 5/8"
CT1222 — 11/16"
CT1224 — 3/4"

12 Pt. Deep Sockets

CTD1212 — 3/8"
CTD1214 — 7/16"
CTD1216 — 1/2"
CTD1218 — 9/16"
CTD1220 — 5/8"
CTD1222 — 11/16"
CTD1224 — 3/4"
CTD1226 — 13/16"

12 Pt. Flex Sockets

CTF1212 — 3/8"
CTF1214 — 7/16"
CTF1216 — 1/2"
CTF1218 — 9/16"
CTF1220 — 5/8"
CTF1222 — 11/16"
CTF1224 — 3/4"

Attachments

CT11 — Universal Joint
CT12 — 5" Extension
CT13 — 12" Extension
CT15 — Speeder
CT17 — Flex Handle
CT21 — Cross Bar
CT22 — 3" Extension
CT70 — Reversible Ratchet

Packed in carton. *Shipping weight:* 10¼ lbs.

STANDARD SET No. CTB14 — 14 PC.

Same box as above. Provides space for addition of items later. One each of following:

12 Point Standard Sockets

CT1212 — 3/8"
CT1214 — 7/16"
CT1216 — 1/2"
CT1218 — 9/16"
CT1220 — 5/8"
CT1222 — 11/16"
CT1224 — 3/4"

Attachments

CT11 — Universal Joint
CT12 — 5" Extension
CT13 — 12" Extension
CT15 — Speeder
CT17 — Flex Handle
CT21 — Cross Bar
CT70 — Reversible Ratchet

Packed in carton. *Shipping weight:* 8 lbs.

BASIC SET No. CTB10 — 10 PC.

One each of the following in a steel box 9¼" x 3¼" x 1⅝":

12 Point Standard Sockets

CT1212 — 3/8"
CT1214 — 7/16"
CT1216 — 1/2"
CT1218 — 9/16"
CT1220 — 5/8"
CT1222 — 11/16"
CT1224 — 3/4"

Attachments:

CT17 — Flex Handle
CT22 — 3" Extension
CT70 — Reversible Ratchet

Packed in a box. *Shipping weight:* 3 lbs.

FLEX SOCKET SET No. CTFB7 — 7 PC.

Consists of one each of the following in a cardboard box:

CTF1212 — 3/8"
CTF1214 — 7/16"
CTF1216 — 1/2"
CTF1218 — 9/16"
CTF1220 — 5/8"
CTF1222 — 11/16"
CTF1224 — 3/4"

Shipping weight: 12½ oz.

DEEP SOCKET SET No. CTDB8 — 8 PC.

One each of the following in a cardboard box:

CTD1212 — 3/8"
CTD1214 — 7/16"
CTD1216 — 1/2"
CTD1218 — 9/16"
CTD1220 — 5/8"
CTD1222 — 11/16"
CTD1224 — 3/4"
CTD1226 — 13/16"

Shipping weight: 1 lb. 6 oz.

CRESCENT TOOLS Give Wings to Work®

CRESCENT SOCKET WRENCHES

"The Hardware Line" **½"** **SQUARE DRIVE**

These items conform to Fed. Spec. GGG-W-641b.

HOT FORGED OR BROACHED

This method of manufacture assures a sure, perfect grip on all kinds of work because the teeth are always smooth and accurate.
A superior grade of alloy steel enables Crescent Sockets to have thinner than average side walls with no sacrifice of strength. All excess metal has been removed leaving clean, streamlined sockets that are a pleasure to use.

CHAMFERED DRIVE OPENINGS

— an "extra" feature of Crescent Sockets that makes them slip on and off the various handles and drives quickly and easily, speeding up work. Each socket has lock hole to fit the spring locked ball on the end of all handles and extensions.

12 POINT SOCKETS

NUMBER	SIZE	WEIGHT PER HALF DOZ.	NUMBER	SIZE	WEIGHT PER HALF DOZ.
CS1212	3/8"	7½ oz.	CS1226	13/16"	1 lb.
CS1214	7/16"	7½ oz.	CS1228	7/8"	1 lb. 3½ oz.
CS1216	1/2"	8 oz.	CS1230	15/16"	1 lb. 6 oz.
CS1218	9/16"	8 oz.	CS1232	1"	1 lb. 9 oz.
CS1219	19/32"	8½ oz.	CS1234	1 1/16"	1 lb. 11 oz.
CS1220	5/8"	10½ oz.	CS1236	1 1/8"	2 lb. 1 oz.
CS1222	11/16"	10½ oz.	CS1238	1 3/16"	3 lb.
CS1224	3/4"	11 oz.	CS1240	1 1/4"	3 lb.

8 POINT SOCKETS

CS812	3/8"	6 oz.	CS820	5/8"	14 oz.
CS814	7/16"	6 oz.	CS822	11/16"	1 lb.
CS816	1/2"	6 oz.	CS824	3/4"	1 lb. 5½ oz.
CS818	9/16"	10½ oz.			

12 POINT DEEP SOCKETS

CSD1216	1/2"	1 lb. 11 oz.	CSD1228	7/8"	2 lb. 8 oz.
CSD1218	9/16"	1 lb. 11½ oz.	CSD1230	15/16"	2 lb. 15 oz.
CSD1220	5/8"	1 lb. 6½ oz.	CSD1232	1"	3 lb. 1 oz.
CSD1222	11/16"	1 lb. 14 oz.	CSD1236	1 1/8"	3 lb. 14 oz.
CSD1224	3/4"	2 lb. 2 oz.			
CSD1226	13/16"	1 lb. 14 oz.			

All sockets packed six in a box. *All items chromium plated.*

HANDLES, DRIVES, ATTACHMENTS

Spring ball locks sockets firmly in place.

NUMBER	ITEM	PACKED	WEIGHT, EA.
CS10	Adapter-½" Female to 3/8" Male	6	2 oz.
CS11	Universal Joint	6	4 oz.
CS12	5" Extension	6	4 oz.
CS13	10" Extension	6	12 oz.
CS14	Slide T Handle	6	1 lb.
CS16	18" Speeder Handle	1	1 lb. 6 oz.
CS18	18" Flex Handle	3	1 lb. 12 oz.
CS21	11" Cross Bar, 3/8" diam.	6	5¼ oz.
CS70	10" Reversible Ratchet	1	1 lb. 6 oz.
CS70K	Ratchet Renewal Kit	1	5½ oz.

Finish: All items chromium plated.





CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT SOCKET WRENCH SETS

Fine tool sets with contents selected to care for average requirements. See pages 13 and 14 for description of individual pieces.



CSB18

1/2" SQUARE DRIVE COMPLETE SET No. CSB18

All items needed by constant users of 1/2" drive sockets. Box large enough so that additional items may be added, if needed for special purposes.

Contents:

1 CS70	10½" Reversible Ratchet	1 CS1220	5/8" 12 Point Socket
1 CS16	Speeder Handle	1 CS1222	11/16" 12 Point Socket
1 CS14	Slide T Handle	1 CS1224	3/4" 12 Point Socket
1 CS18	Flex Handle	1 CS1226	13/16" 12 Point Socket
1 CS12	5" Extension	1 CS1228	7/8" 12 Point Socket
1 CS13	10" Extension	1 CS1230	15/16" 12 Point Socket
1 CS1214	7/16" 12 Point Socket	1 CS1232	1" 12 Point Socket
1 CS1216	1/2" 12 Point Socket	1 CS1234	1 1/16" 12 Point Socket
1 CS1218	9/16" 12 Point Socket	1 CS1236	1 1/8" 12 Point Socket

Box size, 21" x 7" x 4¼" with piano hinged covers. "Hip roof" style with two handles, one on each side of cover. Made of heavy gage steel, enameled in attractive gray color.
Shipping weight, 15 lb. 2 oz. each.



CSB12

BASIC SET No. CSB12

This set contains those sockets in most general use and a minimum of attachments giving the purchaser a useful set at a low price. Can be added to later.

Contents:

1 CS18	Flex Handle	1 CS1222	11/16" 12 Point Socket
1 CS21	11" Cross Bar	1 CS1224	3/4" 12 Point Socket
1 CS1214	7/16" 12 Point Socket	1 CS1226	13/16" 12 Point Socket
1 CS1216	1/2" 12 Point Socket	1 CS1228	7/8" 12 Point Socket
1 CS1218	9/16" 12 Point Socket	1 CS1230	15/16" 12 Point Socket
1 CS1220	5/8" 12 Point Socket	1 CS1232	1" 12 Point Socket

Shipping weight, 7¼ lbs. each.
Sturdy steel box with hinged cover and strong hasp. Gray enamel finish. Box size, 18 x 4 x 2¼ in.



CSB15

SPECIAL SET No. CSB15

A set for those with medium requirements with plenty of space for the addition of other items.

Contents:

1 CS70	10½" Reversible Ratchet	1 CS1224	3/4" 12 Point Socket
1 CS18	Flex Handle	1 CS1226	13/16" 12 Point Socket
1 CS21	11" Cross Bar	1 CS1228	7/8" 12 Point Socket
1 CS1214	7/16" 12 Point Socket	1 CS1230	15/16" 12 Point Socket
1 CS1216	1/2" 12 Point Socket	1 CS1232	1" 12 Point Socket
1 CS1218	9/16" 12 Point Socket	1 CS1234	1 1/16" 12 Point Socket
1 CS1220	5/8" 12 Point Socket	1 CS1236	1 1/8" 12 Point Socket
1 CS1222	11/16" 12 Point Socket		

Strong steel box with hinged cover and sturdy catch. Gray enamel finish. Box size, 18 x 4 x 2¼ in.
Shipping weight, 9¼ lbs. each.



CSDB10

DEEP SOCKET SET No. CSDB10

These special thin wall deep sockets have many uses and this set contains those sizes most frequently used. They can be used with any of the attachments listed for 1/2" square drive sockets shown on page 14.

Contents:

1 CSD1216	1/2" 12 Pt. Deep Socket	1 CSD1226	13/16" 12 Pt. Deep Socket
1 CSD1218	9/16" 12 Pt. Deep Socket	1 CSD1228	7/8" 12 Pt. Deep Socket
1 CSD1220	5/8" 12 Pt. Deep Socket	1 CSD1230	15/16" 12 Pt. Deep Socket
1 CSD1222	11/16" 12 Pt. Deep Socket	1 CSD1232	1" 12 Pt. Deep Socket
1 CSD1224	3/4" 12 Pt. Deep Socket	1 CSD1236	1 1/8" 12 Pt. Deep Socket

Packed in a cardboard box.
Shipping weight, 3 lbs. 12 oz. each.

CRESCENT TOOLS Give Wings to Work ®

CRESCENT SOCKET WRENCHES

"The Hardware Line" **3/4" SQUARE DRIVE**



These items conform to Fed. Spec. GGG-W-641b.

Here are sockets and attachments with all the brute strength needed for working on heavy duty equipment in industry, on the farm or anywhere there are big nuts to tighten — and loosen.

Sockets accurately made to fit nuts correctly and attachments built big enough to give all the leverage needed.

Spring ball in each drive square fits hole in all sockets so they will "stay put" until removed.

12 POINT STANDARD SOCKETS

Cat. Number	*Size*	*Weight Per Box of Three*	*Cat. Number*	*Size*	*Weight Per Box of Three*
CH1228	7/8"	15 oz.	CH1246	1 7/16"	2 lb.
CH1230	15/16"	1 lb. 1 oz.	CH1248	1 1/2"	2 lb. 9 oz.
CH1232	1"	1 lb. 2 oz.	CH1250	1 9/16"	3 lb.
CH1234	1 1/16"	1 lb. 4 oz.	CH1252	1 5/8"	3 lb.
CH1236	1 1/8"	1 lb. 4 oz.			*Box of two:*
CH1238	1 3/16"	1 lb. 8 oz.	CH1254	1 11/16"	2 lb. 11 oz.
CH1240	1 1/4"	1 lb. 8 oz.	CH1256	1 3/4"	2 lb. 12 oz.
CH1242	1 5/16"	1 lb. 11 oz.	CH1258	1 13/16"	2 lb. 14 oz.
CH1244	1 3/8"	1 lb. 12 oz.	CH1260	1 7/8"	3 lb. 4 oz.
			CH1264	2"	3 lb. 8 oz.

HANDLES, ATTACHMENTS

Cat. Number	*Item*	*Weight Each*
CH11	Slide Tee Handle — 20"	3 lb.
CH12	8" Extension	8½ oz.
CH13	16" Extension	1 lb. 9 oz.
CH18	Flex Handle — 21"	1 lb. 5 oz.
CH70	Reversible Ratchet — 21"	3 lb. 9 oz.
CH70K	Ratchet Renewal Kit	1 lb.

All sockets packed three in a box except 5 largest which are 2 in a box; handles, attachments, one in a box. Sold only in full packages.

Finish: All items chromium plated.

Several sets available. See page 18.

CRESCENT TOOLS Give Wings to Work ®

CRESCENT SOCKET WRENCH SETS

3/4" SQUARE DRIVE

CRESCENT ¾" Drive Sockets and Attachments are real sturdy, strong, heavy duty equipment.

These sets are made up with average requirements in mind and all have room for additional items.

Heavy gauge steel boxes, with handles on both ends for carrying. Strong hasp, with eye for lock. Piano hinge full width of box.

CHB20

COMPLETE SET CHB20 — 20 PC.

One each of the following in a box 22" x 8¼" x 3¼":

12 Point Standard Sockets

CH1232 — 1"	CH1242 — 1 5/16"	CH1252 — 1 5/8"
CH1234 — 1 1/16"	CH1244 — 1 3/8"	CH1254 — 1 11/16"
CH1236 — 1 1/8"	CH1246 — 1 7/16"	CH1256 — 1 3/4"
CH1238 — 1 3/16"	CH1248 — 1 1/2"	CH1258 — 1 13/16"
CH1240 — 1 1/4"	CH1250 — 1 9/16"	CH1260 — 1 7/8"
		CH1264 — 2"

Handles, Attachments

CH11 — Slide Tee	CH13 — 16" Extension
CH12 — 8" Extension	CH70 — Reversible Ratchet

Packed in carton. *Shipping weight:* 33 lbs.

CHB11

STANDARD SET CHB11 — 11 PC.

One each of the following in a box 22¾" x 6¼" x 3":

12 Point Standard Sockets

CH1234 — 1 1/16"	CH1252 — 1 5/8"
CH1236 — 1 1/8"	*Attachments:*
CH1240 — 1 1/4"	CH11 — Slide Tee Handle
CH1244 — 1 3/8"	CH12 — 8" Extension
CH1246 — 1 7/16"	CH13 — 16" Extension
CH1248 — 1 1/2"	CH70 — Reversible Ratchet

Packed in carton. *Shipping weight:* 22½ lbs.

CHB10

BASIC SET CHB10 — 10 PC.

One each of the following in a box 22¾" x 6¼" x 3":

12 Point Standard Sockets

CH1234 — 1 1/16"	CH1252 — 1 5/8"
CH1236 — 1 1/8"	*Attachments:*
CH1240 — 1 1/4"	CH11 — Slide Tee Handle
CH1244 — 1 3/8"	CH12 — 8" Extension
CH1246 — 1 7/16"	CH13 — 16" Extension
CH1248 — 1 1/2"	

Packed in carton. *Shipping weight:* 17¼ lbs.

CRESCENT SOCKET WRENCH SETS

On this and other pages are shown CRESCENT Socket Wrench Sets that will take care of the requirements of the most exacting tool user. The contents of each unit have been worked out with very definite requirements in mind including future expansion. The steel boxes are roomy and sturdy — roomy so additional items can be added from time to time to take care of special needs, and sturdy to give a lifetime of service and protection to their contents.



COMBINATION SET

1/4" **and** **1/2"**

SQUARE DRIVE

No. CSMB34

COMBINATION SET No. CSMB34

This is a combination of 1/2" square drive set number CSB18 and 1/4" square drive set number CMB16. The small box containing the 1/4" drive items fits in the corner of the larger box without crowding. List of all items is as follows:

1/4" Square Drive Sockets and Attachments		1/2" Square Drive Sockets and Attachments	
CM70	— Reversible Ratchet	CS70	— 10 1/2" Reversible Ratchet
CM17	— Flex Handle	CS16	— Speeder Handle
CM21	— Cross Bar	CS12	— 5" Extension
CM4	— 2" Extension	CS13	— 10" Extension
CM12	— 6" Extension	CS14	— Slide T Handle
CM606	— 3/16" 6 Point Socket	CS18	— T Flex Handle
CM607	— 7/32" 6 Point Socket	CS1214	— 7/16" 12 Point Socket
CM608	— 1/4" 6 Point Socket	CS1216	— 1/2" 12 Point Socket
CM609	— 9/32" 6 Point Socket	CS1218	— 9/16" 12 Point Socket
CM610	— 5/16" 6 Point Socket	CS1220	— 5/8" 12 Point Socket
CM611	— 11/32" 6 Point Socket	CS1222	— 11/16" 12 Point Socket
CM612	— 3/8" 6 Point Socket	CS1224	— 3/4" 12 Point Socket
CM614	— 7/16" 6 Point Socket	CS1226	— 13/16" 12 Point Socket
CM808	— 1/4" 8 Point Socket	CS1228	— 7/8" 12 Point Socket
CM810	— 5/16" 8 Point Socket	CS1230	— 15/16" 12 Point Socket
CM812	— 3/8" 8 Point Socket	CS1232	—1" 12 Point Socket
		CS1234	—1 1/16" 12 Point Socket
		CS1236	—1 1/8" 12 Point Socket

Complete with two sturdy metal boxes as shown.
Packed in carton, shipping weight 17 lbs.

CRESCENT RATCHETS
NEW IN PRINCIPLE
OPERATES IN 7 1/2° DISTANCE
NEW IN SIMPLICITY
ONLY 3 IN SIDE PARTS- NO SPRINGS
CRESCENT TOOL CO., JAMESTOWN, N.Y., U.S.A.

No. CRD1

COUNTER DISPLAY— CRESCENT® RATCHETS

A heavy sheet metal counter stand that graphically presents the strength, simplicity and serviceability of CRESCENT's entirely new principle in ratchet construction. Three each CS70 - 1/2" square drive and CT70 - 3/8" square drive ratchets are hung on hooks, ready for demonstration and sale.

Lock easel holds display erect, or it can be hung on pegboard by means of holes in upper corners.

Size: 12" x 16". *Packed:* One in a box.
No. CRD1 — *Shipping Weight:* 8 1/2 lbs.

CRESCENT TOOLS *Give Wings to Work* ®

COMPLETE CRESCENT TOOL CHESTS

CS4 BOX

SIZE — 21" x 8½" x 10"

CS3 BOX



SIZE — 21" x 7" x 8½"

Heavy gauge steel boxes in the popular "hip roof" style. Piano hinges give smooth, trouble-free opening and closing.

Each box has a removable tray in the top, with full length handle for balance. Box number CS4 (left) has a drop front. Both boxes have covers equipped with handles on both sides. This prevents box from coming open while being carried and provides a means for padlocking. Both boxes have plenty of room inside for additional tools that may be added from time to time.

Finish: Attractive gray enamel, baked on, with yellow trays. Boxes are all welded construction, heavy enough to give many years of excellent service.

Tools are all dependable, high quality items bearing the world famous CRESCENT name. Each assortment specially selected to include the most widely used numbers in the CRESCENT line. Ideal for mechanics and artisans in many different trades.

ASSORTMENT TB90

Contains one each of the following CRESCENT Tools in CS4 box as shown at left above:

AC16
AC18
ACL110
H28
L26
P210
50-8"
72-7"
282-8"
542-7"
654-6"
942-6"
S410
S412
V19S
1049
C8723
C8725B
C8729
74
175-3/4"
175-1"
487-5/16"
487-3/8"
488-1/8"
488-3/16"
488-1/4"
490-1/4"
490-3/16"
K1304
K1306
K1504
K1506
K1608
K1610
K1701
K1702
K1702S
K1102S
CS11
CS12
CS13
CS16
CS18
CS70
CS1214
CS1216
CS1218
CS1220
CS1222
CS1224
CS1226
CS1228
CS1230
CS1232
CS1234
CS1236
CMB16 — (16 piece, 1/4" drive socket set)
TR1111 — (11 piece combination wrench set)
TR1706 — (6 piece open end wrench set)

TOTAL — 90 pieces

Shipping weight, 50 lbs.

ASSORTMENT TB60

Contains one each of the following CRESCENT Tools in CS3 box as shown at right above:

AC18
L26
P210
50-8"
72-7"
282-8"
542-7"
654-6"
942-6"
S412
V19S
487-5/16"
487-3/8"
488-1/8"
488-1/4"
490-1/4"
490-3/16"
74
175-3/4"
K1304
K1306
K1504
K1506
K1701
K1702
C8723
C8725B
CS11
CS12
CS13
CS14
CS16
CS70
CS1214
CS1216
CS1218
CS1220
CS1222
CS1224
CS1226
CS1228
CS1230
CS1232
TR1111 — (11 piece combination wrench set)
TR1706 — (6 piece open end wrench set)

TOTAL — 60 pieces

Shipping weight, 36½ lbs.

ASSORTMENT TB50

Contains one each of the following CRESCENT Tools in CS3 box. Assortment is not illustrated.

AC18
L26
P210
50-8"
72-7"
542-7"
654-6"
942-6"
S412
K1304
K1306
K1504
K1701
K1702
74
175-3/4"
487-5/16"
487-3/8"
488-1/8"
488-1/4"
490-1/4"
490-3/16"
C8723
C8725B
CS12
CS13
CS14
CS16
CS1214
CS1216
CS1218
CS1220
CS1222
CS1224
CS1226
CS1228
CS1230
CS1232
TR1106 — (6 piece combination wrench set)
TR1706 — (6 piece open end wrench set)

TOTAL — 50 pieces

Shipping weight, 30 lbs.

CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT NORMAL DUTY PIPE WRENCHES

Handle and Jaws forged from special steel and fully heat treated to give correct hardness.

Springs accurately tempered to give proper tension, insuring long life.

Method of mounting frame on handle gives the springs positive action for quick grip and release.

These are well designed, well made tools that will give a lifetime of service under normal working conditions. Teeth are sharp, and will stay that way for positive gripping action over a long period of service.

SPECIFICATIONS

Cat. Number	*Size of Wrench*	*Pipe Capacity*	*Weight Ea., Packed*
WS16	6 in.	1/8″ to 1/2″	6 oz.
WS18	8 in.	1/8″ to 3/4″	11 oz.
WS110	10 in.	1/8″ to 1″	1 lb. 8 oz.
WS114	14 in.	1/4″ to 1 1/2″	3 lbs.
WS118	18 in.	1/4″ to 2″	4 lbs. 8 oz.
WS124	24 in.	1/4″ to 2 1/2″	7 lbs. 8 oz.

Finish — Flat surfaces polished. Red enameled handle.

Packed — One in a box.

Conform to Fed. Spec. GGG-W-651b — Type I, Class A.

REPLACEMENT PARTS FOR "CRESCENT" STILLSON WRENCHES



Uniformity of construction guarantees perfect fit.

Be sure to specify type, number and size of wrench when ordering parts.

CRESCENT TOOLS Give Wings to Work®

"CRESCENT" is our trademark, registered in U. S. and Foreign Countries

CRESCENT HEAVY DUTY PIPE WRENCHES



Here are pipe wrenches with all the ruggedness needed for the heaviest kind of work. First the handle of high grade alloy gives strength with lower weight. Next, the hook and heel jaws of special analysis steel, triple heat treated to obtain correct hardness and do away with any tendency to crush, bend or chip the teeth.

Smooth operation of all parts makes adjustment quick and easy, and all parts are precision made.

Every wrench completely tested before leaving the factory and guaranteed to exceed all Government Specifications.

SPECIFICATIONS

Cat. Number	*Size of Wrench*	*Pipe Capacity*	*Weight Ea., Packed*
WH46	6 in.	1/8" to 3/4"	8 oz.
WH48	8 in.	1/8" to 1"	1 lb.
WH410	10 in.	1/8" to 1 1/2"	2 lbs.
WH412	12 in.	1/8" to 2"	3 lbs.
WH414	14 in.	1/4" to 2"	3 lbs. 8 oz.
WH418	18 in.	1/4" to 2 1/2"	5 lbs. 8 oz.
WH424	24 in.	1/4" to 3"	9 lbs. 11 oz.

Finish — Flat surfaces polished. Red enameled handle.

Packed — One in a box.

Conform to Fed. Spec. GGG-W-651b — Type II, Class A.

REPLACEMENT PARTS FOR CRESCENT HEAVY DUTY PIPE WRENCHES

Accuracy throughout all operations insures perfect fit of parts at all times.

Be sure to give type, number and size of wrench when ordering parts.



CRESCENT TOOLS Give Wings to Work ®

STANDARD NUTS, BOLTS, CAP SCREWS, ETC. AS RELATED TO NOMINAL WRENCH OPENINGS

SELECT CORRECT WRENCH SIZES FROM THIS CHART

Nominal Opening of Wrench	NEW AMERICAN STANDARD BOLT SIZES (Outside) of Bolts, Nuts and Screws) (Thread Diameter					CRESCENT SOCKET WRENCH NUMBERS								
	NUTS			BOLTS & SCREW HDS.		1/4" SQUARE DRIVE		3/8" SQUARE DRIVE			1/2" SQUARE DRIVE			3/4" SQUARE
	Finished & Finished Thick	Regular	Heavy	Regular, Finished & Hex Head Cap	Heavy	6 Pt.	8 Pt.	12 Pt.	12 Pt. Deep	12 Pt. Flex	12 Pt.	8 Pt.	12 Pt. Deep	DRIVE 12 Pt.
3/16"	—	#2, #3	—	—	—	CM606								
7/32"	—	—	—	—	—	CM607								
1/4"	—	#4	—	—	—	CM608	CM808							
9/32"	—	—	—	—	—	CM609								
5/16"	—	#5, #6	—	—	—	CM610	CM810							
11/32"	—	#8	—	—	—	CM611								
3/8"	—	#10	—	—	—	CM612	CM812	CT1212	CTD1212	CTF1212	CS1212	CS812		
7/16"	1/4"	#12, 1/4"	—	1/4"	—	CM614		CT1214	CTD1214	CTF1214	CS1214	CS814		
1/2"	5/16"	—	1/4"	5/16"	—	CM616		CT1216	CTD1216	CTF1216	CS1216	CS816	CSD1216	
9/16"	3/8"	5/16"	5/16"	3/8"	—			CT1218	CTD1218	CTF1218	CS1218	CS818	CSD1218	
19/32"	—	—	—	—	—						CS1219			
5/8"	—	3/8"	—	7/16"	—			CT1220	CTD1220	CTF1220	CS1220	CS820	CSD1220	
11/16"	7/16"	—	3/8"	—	—			CT1222	CTD1222	CTF1222	CS1222	CS822	CSD1222	
3/4"	1/2"	7/16"	7/16"	1/2"	—			CT1224	CTD1224	CTF1224	CS1224	CS824	CSD1224	
13/16"	—	1/2"	—	9/16"	—				CTD1226		CS1226		CSD1226	
7/8"	9/16"	9/16"	1/2"	—	1/2"						CS1228		CSD1228	CH1228
15/16"	5/8"	—	9/16"	5/8"	—						CS1230		CSD1230	CH1230
1"	—	5/8"	—	—	—						CS1232		CSD1232	CH1232
1-1/16"	—	—	5/8"	—	5/8"						CS1234			CH1234
1-1/8"	3/4"	3/4"	—	3/4"	—						CS1236		CSD1236	CH1236
1-3/16"	—	—	—	—	—						CS1238			CH1238
1-1/4"	—	—	3/4"	—	3/4"						CS1240			CH1240
1-5/16"	7/8"	7/8"	—	7/8"	—									CH1242
1-3/8"	—	—	—	—	—									CH1244
1-7/16"	—	—	7/8"	—	7/8"									CH1246
1-1/2"	1"	1"	—	1"	—									CH1248
1-9/16"	—	—	—	—	—									CH1250
1-5/8"	—	—	1"	—	1"									CH1252
1-11/16"	1-1/8"	1-1/8"	—	1-1/8"	—									CH1254
1-3/4"	—	—	—	—	—									CH1256
1-13/16"	—	—	1-1/8"	—	1-1/8"									CH1258
1-7/8"	1-1/4"	1-1/4"	—	1-1/4"	—									CH1260
2"	—	—	1-1/4"	—	1-1/4"									CH1264

Nominal Openings of Wrenches	NEW AMERICAN STANDARD BOLT SIZES (Thread Diameter (Outside) of Bolts, Nuts and Screws)					CRESCENT WRENCH NUMBERS	
	NUTS			BOLT AND SCREW HEADS		Double Head, Open End	Double Head, Box
	Finished and Finished Thick	Regular	Heavy	Regular, Finished and Hex Head Cap	Heavy		
1/4" & 5/16"	— & —	#4, #5, #6	— & —	— & —	— & —	C1020	
5/16" & 3/8"	— & —	#5, #6, #10	— & —	— & —	— & —	C1721	
3/8" & 7/16"	— & 1/4"	#10, #12, 1/4"	— & —	— & 1/4"	— & —	C1723	C8723
7/16" & 1/2"	1/4" & 5/16"	1/4" & —	— & 1/4"	1/4" & 5/16"	— & —	C1725	C8725
1/2" & 9/16"	5/16" & 3/8"	— & 5/16"	1/4" & 5/16"	5/16" & 3/8"	— & —	C1725B	C8725B
9/16" & 5/8"	3/8" & —	5/16" & 3/8"	5/16" & —	3/8" & 7/16"	— & —	C1727	C8727
5/8" & 3/4"	— & 1/2"	3/8" & 7/16"	— & 7/16"	7/16" & 1/2"	— & —	C1729	C8729
3/4" & 7/8"	1/2" & 9/16"	7/16" & 9/16"	7/16" & 1/2"	1/2" & —	— & 1/2"	C1731A	C8731A
13/16" & 7/8"	— & 9/16"	1/2" & 9/16"	— & 1/2"	9/16" & —	— & 1/2"	C1731B	C8731B
15/16" & 1"	5/8" & —	— & 5/8"	9/16" & —	5/8" & —	— & —	C1033C	C8033C
7/8" & 1-1/16"	9/16" & —	9/16" & —	1/2" & 5/8"	— & —	1/2" & 5/8"	C1034	C8034
1" & 1-1/8"	— & 3/4"	5/8" & 3/4"	— & —	3/4" & —	— & 3/4"	C1735	
1-1/8" & 1-1/4"	3/4" & —	3/4" & —	— & 3/4"	3/4" & —	— & 3/4"	C1737	
						Combination Box and Open End (both ends same capacity)	
3/8"	—	#10	—	—	—	C1160	
7/16"	1/4"	#12, 1/4"	—	1/4"	—	C1161	
1/2"	5/16"	—	1/4"	5/16"	—	C1162	
9/16"	3/8"	5/16"	5/16"	3/8"	—	C1163	
5/8"	—	3/8"	—	7/16"	—	C1164	
11/16"	7/16"	—	3/8"	—	—	C1165	
3/4"	1/2"	7/16"	7/16"	1/2"	—	C1166	
13/16"	—	1/2"	—	9/16"	—	C1167A	
7/8"	9/16"	9/16"	1/2"	—	1/2"	C1167	
15/16"	5/8"	—	9/16"	5/8"	—	C1168	
1"	—	5/8"	—	—	—	C1170	
1-1/16"	—	—	5/8"	—	5/8"	C1171	
1-1/8"	3/4"	3/4"	—	3/4"	—	C1172	
1-1/4"	—	—	3/4"	—	3/4"	C1173	

CRESCENT TOOLS Give Wings to Work ®

BOX JOINT, MINIATURE PLIERS

BOX JOINTS — It is a well known fact that a well constructed box joint will work more smoothly under the strain of hard usage, and will stand up under those strains for a longer period than other types. Crescent box joints are a precision operation and assure superior performance and longer life.

BROAD HANDLES — These are the result of our research into the fields where pliers of this type are used. Production workers and occasional users alike have requested these broader handles which will not cut the hands or cause excessive fatigue to those who use them.



ROUND NOSE, BOX JOINT PLIER OF CRESTOLOY STEEL

Both sides of nose are carefully rounded. For use in radio, electrical and jewelry manufacture and repair. Loops and small rings easily formed and other kinds of wire work can be quickly and accurately done. Box joint keeps jaws in perfect alignment.

Finish: Polished head, gun metal handles.

Number	*Size*	*Nose Length*	*Point Size*	*Weight, Each*
21	4½"	⅞"	3/32"	2 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type X.



SHORT CHAIN NOSE BOX JOINT PLIER OF FORGED CRESTOLOY STEEL

A plier for jewelers, opticians and others who do fine mechanical work. No wire cutter. Box joint, plus electronic hardening make this a decidedly superior tool.

Finish: Polished head, gun metal handles.

Number	*Size*	*Nose Length*	*Point Size*	*Weight, Each*
22	4"	1 1/16"	⅛" x 3/32"	2½ oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XI, Class 2, Style B.



LIGHT CHAIN NOSE, SIDE CUTTING BOX JOINT PLIER OF CRESTOLOY STEEL

Light and small, yet sturdy enough for steady use. Its exact balance will please the most particular skilled mechanical worker. Tested cutting edges.

Finish: Polished head, gun metal handles.

Number	*Size*	*Nose Length*	*Point Size*	*Weight, Each*
622	4"	¾"	⅛" x 3/32"	2½ oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XI, Class 2, Style A.



BOX JOINT DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL

Perfect balance, remarkable cutting ability. Box joint gives longer than average life. Individually tested for both strength and cutting ability.

Finish: Polished head, gun metal handles.

Number	*Size*	*Weight, Each*
942	4"	3 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type IV, Class 1, Style B.

COUNTER DISPLAY MPD1

Use this colorful display card on counter or in the window to sell these excellent tools.

There are two of each of the four styles illustrated on this page mounted on the card and the Box Joint feature strongly emphasized.

Size of card—9" x 12½" with easel on back.
Packed—Complete in box with pliers in place ready to set up. Priced at cost of tools only.
Shipping Weight—1½ pounds.

SLIP JOINT PLIERS MADE THE CRESCENT WAY



CRESCENT UNIVERSAL PLIER

A plier for heavy duty. Drop forged from special steel. One jaw is curved, giving a firm grip upon objects of any shape and a groove in the other jaw enables the plier to grip pins or other round objects.

Finish: Chromium plate.

Number	*Size*	*Capacity*	*Weight*
D27	7"	1"	9 oz.

Packed—One in a box.



MOTOR KIT® COMBINATION PLIER

Conforms to Fed. Spec. GGG-P-471c — Type II, Class 2, Style A.

A high grade, hand finished tool. Special steel, accurately machined and hardened by special processes, makes this a tool that will answer the requirements of the most exacting trade. Bolt and nut turned from solid bar of steel and case hardened.

Finish: Chromium plate.

Number	*Size*	*Capacity*	*Weight*
G25	5"	3/4"	4 oz.
G26	6"	1 "	7 oz.
G28	8"	1 1/4"	10 oz.
G210	10"	1 1/2"	18 oz.

Packed—One in a box.

CEETEECO® COMBINATION PLIER

Conforms to Fed. Spec. GGG-P-471c — Type II, Class 2, Style A.

This tool meets the demand for a guaranteed plier at a low price. It is forged from special analysis steel, as are all other Crescent pliers, carefully machined, hardened and oil tempered.

Finish: Bright plate.

Number	*Size*	*Capacity*	*Weight*
H25	5"	3/4"	4 oz.
H26	6"	1 "	8 oz.
H28	8"	1 1/4"	10 oz.
H210	10"	1 1/2"	18 oz.

Packed—One in a box. Five and six inch also packed in bulk.

BOLTS and NUTS

are available for all Crescent Slip Joint Pliers, and may be ordered as separate parts. Order by number of plier for which they are needed.

CEETEECO PLIERS IN BULK DISPLAY BOX



CEETEECO Pliers of the five and six inch size can be furnished in cartons of one dozen. These dozen cartons are shipped in a larger carton at a lower price than those in the individual cartons. Shipping weight—H25, 32 lbs. per gross; H26, 66 lbs. per gross.



CRESCENT THIN BENT NOSE PLIER

About the same as the L26, but the nose is bent to an angle of 30 degrees for doing certain kinds of work.

Finish: Chromium plate.

Number	*Size*	*Capacity*	*Weight*
J26	6"	1"	8 oz.

Packed—One in a box.

CRESCENT THIN STRAIGHT NOSE PLIER

Conforms to Fed. Spec. GGG-P-471c — Type II, Class 2, Style B.

This tool is especially adapted to work of a fine nature. Its thin nose will reach and grip objects where the ordinary plier will not. The teeth in the jaws are sharp and strong and give a good grip. Slip joint style, with case hardened bolt and nut.

Finish: Chromium plate.

Number	*Size*	*Capacity*	*Weight*
L25	5"	3/4"	4 oz.
L26	6	1 "	8 oz.
L28	8"	1 1/4"	10 oz.
L210	10"	1 1/2"	17 oz.

Packed—One in a box.



CRESCENT SIDE CUTTING SLIP JOINT PLIER

This is the regular Crescent Thin Nose plier with a side cutter added. None of the good points of the thin nose plier have been lost and the addition of the cutter makes it a most valuable tool. The cutter has keen edges and will cut easily.

Finish: Chromium plate.

Number	*Size*	*Capacity*	*Weight*
LS26	6"	1"	7 oz.

Packed—One in a box.

"CRESTOGRIP"® PUMP ACTION UTILITY PLIER


30% THINNER
TWICE AS STRONG
GRIPS LIKE A PIPE WRENCH
CLEAN, SHARP TEETH
FLUSH RIVET NO PROJECTIONS
BOX JOINT ADJUSTABLE TO 4 POSITIONS UP TO 1½" CAPACITY
EXTRA THIN—ONLY ½" AT THICKEST POINT
NON-SLIP CHECKERDOT KNURLING
CRESCENT TOOL CO. JAMESTOWN, N.Y. U.S.A.
P-210
PATENT PEN.
QUICK, POSITIVE ADJUSTMENT
This cut-away view shows joint construction with its extra generous bearing surface at the arrow point. Adjustment is made by simply "walking" the rivet recess over the bearing point with a pumping action of the handles. Easy, positive, capable of heavy loads.

Crescent's No. P210 Utility Plier is completely new . . . revolutionary! It's not a "slip-joint" plier and not to be confused with conventional lap-joint "pump" pliers. Its *double-strong* box joint design is absolutely unique and assures a powerful grip like that of a pipe wrench without sideways twist or strain. It will grip flat, square, hex or round objects with powerful leverage.

COUNTER DISPLAY

Unit as shown — complete with six P210 Pliers supplied in carton at cost of pliers only.


THE NEW CRESCENT NO. P210
BOX JOINT UTILITY PLIERS
30% THINNER—YET TWICE AS STRONG
TRY ONE
NEW TYPE JOINT - GIVES POSITIVE ADJUSTMENT TO ALL FOUR POSITIONS
CRESCENT TOOLS
THE CRESCENT P210
GRIPS LIKE A PIPE WRENCH

SPECIFICATIONS

Number	*Size*	*Length*	*Capacity*	*Thickness*	*Weight Packed*
P27	7″	6 11/16″	1 1/16″	5/16″	9 oz.
P210	10″	9½″	1½″	½″	13 oz.

Finish: Rust resistant zinc plating.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type II, Class 1, Style A.

CRESCENT TOOLS *Give Wings to Work*®

CRESCENT® AND CRESTOLOY® PLIERS



CRESCENT LONG NOSE PLIER

This is a plier for radio work, wire bending, loop forming, or for fine work in repair shops, machine shops, etc. This plier has a strong wire cutter of the shear cutting type.

Finish: Rust resistant, zinc plate.

Number	*Size*	*Nose Length*	*Weight, Each*
M16	6"	1⅝"	5 oz.

Packed—One in a box.



CRESCENT FLAT NOSE PLIER

A light plier for fine work. Checker knurling in jaws gives firm grip. Handles shaped to fit the hand comfortably. Smoothly working joint makes plier easy to use, even on continuous work. No cutter.

Finish: Polished head, gun metal handles.

Number	*Size*	*Nose Length*	*Weight, Each*
20	5"	1½"	4 oz.

Packed—One in a box.



20-5" SC

Same as No. 20 with spring and Softgrip handles added.
Finish: Polished head, red Softgrip Plastic handles.

Number	*Size*	*Nose Length*	*Weight Each*
20—5" SC	5"	1½"	4½ oz.

Packed—One in a box.



CRESTOLOY ROUND NOSE PLIERS

Both sides of nose are carefully rounded. For use in radio, electrical and jewelry manufacture and repair. Loops and small rings easily formed and other kinds of wire work can be quickly and accurately done. Box joint keeps jaws in perfect alignment.

Finish: Polished head, gun metal handles.

Number	*Size*	*Point Size*	*Weight, Each*
21	4½"	3/32"	2 oz.
21	6"	3/32"	5 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type X.



CRESCENT SHORT CHAIN NOSE PLIER

A plier for jewelers, opticians and others who do fine mechanical work. No wire cutter. Joint accurately machined, insuring smooth, easy operation with an occasional oiling. An indispensable tool for those doing fine, close work.

Finish: Polished head, gun metal handles.

Number	*Size*	*Nose Length*	*Point Size*	*Weight, Each*
22	5"	1½"	⅛"x3/32"	4 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XI, Class 2, Style B.



22-5" SC

Like No. 22, plus spring and Softgrip handles.
Finish: Polished head, green Softgrip Plastic handles.

Number	*Size*	*Nose Length*	*Point Size*	*Weight Each*
22—5" SC	5"	1½"	⅛"x3/32"	4½ oz.

Packed—One in a box.

DUCK BILL PLIERS OF FORGED CRESTOLOY STEEL

The long, thin jaws of this tool reach into places where fingers and ordinary pliers will not go. And when they reach, they grip—and hold! Perfect tempering prevents them from breaking, even though gripped until the jaws are bent or twisted far from their natural shape. And when pressure is released, back they go to normal. Textile weavers, jewelers, telephone workers, etc. can make good use of this tool. Also useful to punch press operators for inserting and removing work from dies. (No cutter.) Each one is individually tested for strength on our own specially designed testing machines.
Finish: Gun metal with polished head.

Number	*Size*	*Length Overall*	*Nose Length*	*Weight, Each*
23	7"	7⅛"	3"	4 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XV, Class 1.

"COLOR KEYED" PLIER HANDLES

The pliers with colored handles on this and succeeding pages are for industrial use. Bench workers quickly select the plier they need by its color.

RED — Flat Nose Pliers
ORANGE — Cutting Pliers
GREEN — Chain Nose Pliers

CRESCENT® AND CRESTOLOY® PLIERS



KNITTERS' PLIERS OF CRESTOLOY STEEL

Operators of knitting machines find this tool indispensable for removing and adjusting needles, etc. Others whose work calls for extremely thin jaws for reaching into tight places will find this tool ideal for that purpose.
Box joint. Jaws polished down to very thin edges at extreme ends.

Finish: Gun metal with polished head.

Number	*Size*	*Length*	*Nose Length*	*Point Thickness*	*Weight Packed*
24	7″	7½″	3½″	1/32″ (closed)	**5 oz.**

Packed—One in a box.
Conforms to Fed. Spec. GGG-P-471c — Type V, Class 1.

CRESCENT SIDE CUTTING PLIER

A well made, sturdy tool. Keen edged cutters and spring tempered handles.

Finish: Polished head, black handles.

Number	*Size*	*Weight, Each*
50	5″	**5 oz.**
50	6″	**8 oz.**
50	7″	**10 oz.**
50	8″	**14 oz.**

Packed—One in a box.

No. 50 INSULATED PLIERS

Same as above with blue Tenite handles.

Number	*Size*	*Weight, Each*
50-6″I	6″	**9 oz.**
50-7″I	7″	**11 oz.**
50-8″I	8″	**15 oz.**

Packed—One in a box.

END CUTTING NIPPERS OF FORGED CRESTOLOY STEEL

The width of the blades, the clearance in the throat, the leverage ratio of handle to blade, the size of the rivet, the sharpening of the blades and the angle at which they meet are points that have all been carefully worked out and incorporated into the design of this tool. Each one individually tested for strength and cutting ability on our specially designed testing machines.

Finish: Polished head, gun metal handles.

Number	*Size*	*Width of Cutting Edge*	*Weight, Each*
72	6″	1 1/16″	**9 oz.**
72	7″	1 5/32″	**12 oz.**

Packed—One in a box.
Conforms to Interim Fed. Spec. GGG-N-350a — Type I, Class 2, Style A.

CRESCENT WIRE CUTTING PLIER

Will cut baling wire, wire box strapping, concrete reinforcing wires, radio aerial and ground wires, etc. Jaws tapered so that wire is drawn toward their base and not pushed out. Short jaws enable them to cut close to surfaces.

Finish: Rust resistant zinc plate.

Number	*Size*	*Weight, Each*
264	5½″	**5 oz.**

Packed in cartons of twelve. One gross in a shipping carton.

CRESTOLOY LIGHT END CUTTING NIPPERS

A light, serviceable tool. Has a keen edged cutter that will cut right down close against flat surfaces. Shoeworkers will find this an excellent tool for general use. Also electrical workers, bench assemblers of toys and delicate apparatus, etc.

Finish: Gun metal with polished head.

Number	*Size*	*Width of Cutting Edge*	*Weight, Each*
265	4½″	7/16″	**3 oz.**

Packed—One in a box.



CRESCENT CARPENTER'S PINCER

A newly redesigned tool. Cutting edges will cut practically flush against a flat surface and the tool has plenty of strength to back up the edges. Button's cutter, tack claw and screwdriver point all add to the general usefulness of this pincer.

Finish: Rust resistant zinc plate.

Number	*Size*	*Weight, Packed*
282	6″	**7 oz.**
282	8″	**14 oz.**
282	10″	**20 oz.**

Packed—One in a box.

CRESCENT TOOLS Give Wings to Work®

CRESCENT® AND CRESTOLOY® PLIERS

HEAVY DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL

This is one of the most powerful cutting pliers made. Edges are keen and strong. Each tool individually tested on our specially designed testing machines for both strength and cutting ability.

Finish: Polished head, gun metal handles.

Number	*Size*	*Weight, Each*
542	7"	8 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type IV, Class 2.



CRESCENT LIGHT CHAIN NOSE, SIDE CUTTING PLIER

An exceptionally high class plier. Designed and made to satisfy the most exacting requirements of the skilled mechanical worker. This plier is light in weight and perfectly balanced. It has tested cutting edges.

Finish: Polished head, gun metal handles.

Number	*Size*	*Weight, Each*
622	5"	3 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XI, Class 2, Style A.

LONG FLAT NOSE SIDE CUTTING PLIERS OF FORGED CRESTOLOY STEEL

Used in textile mills and on certain types of knitting machines. A plier of exceptional usefulness to automobile radiator repairmen. Its nose is long and thin, and yet has surprising gripping ability. The cutting edges are keen, and they cut easily.

Finish: Gun metal with polished head.

Number	*Size*	*Length of Jaw*	*Weight, Each*
650	7"	3"	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type V, Class 3, Style B.

LONG NOSE, SIDE CUTTING PLIERS OF FORGED CRESTOLOY STEEL

The long nose of this plier will reach into tight places and the keen edged cutter will cut practically any wire used in radio or telephone switchboard work. Each tool is individually tested for both strength and cutting ability on our specially designed testing machines.

Finish: Polished head, gun metal handles.

Number	*Size*	*Length Overall*	*Length of Nose*	*Point Size*	*Weight, Each*
654	6"	$6\frac{5}{8}$"	$2\frac{3}{16}$"	$\frac{1}{8}$"x$\frac{3}{32}$"	5 oz.
654	7"	$7\frac{7}{16}$"	3"	$\frac{5}{32}$"x$\frac{3}{32}$"	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XI, Class 1, Style A.

HEAVY DUTY BOX JOINT DIAGONAL CUTTING PLIERS — CRESTOLOY STEEL

A newly designed; slender nosed diagonal cutter — yet with all the strength and cutting power of much heavier tools. Crescent has built extra leverage — and consequently easier cutting ability into this plier. Box joint is always smooth and keeps jaws in perfect alignment. Handle design affords comfortable grip. Crescent electronic hardening assures keen, long lasting cutting edges.

Number	*Size*	*Weight, Each*
742	7"	8 oz.

Packed—One in a box.

LONG NEEDLE NOSE PLIERS OF FORGED CRESTOLOY STEEL

In spite of the slenderness of its long nose, this tool has surprising gripping ability. Handles can be squeezed until the jaws bend and twist far from their normal shape, yet when pressure is released, they at once return to their original form. Each one individually tested for strength on our specially designed testing machines. (No cutter).

Finish: Gun metal with polished head.

Number	*Size*	*Length Overall*	*Length of Nose*	*Point Size*	*Weight, Each*
777	6"	$6\frac{1}{2}$"	$2\frac{3}{8}$"	$\frac{1}{8}$"x$\frac{3}{32}$"	4 oz.
777	7"	$7\frac{7}{16}$"	3"	$\frac{5}{32}$"x$\frac{1}{8}$"	5 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XII, Class 2, Style A.

CRESCENT® AND CRESTOLOY® PLIERS

CURVED NEEDLE NOSE PLIERS OF FORGED CRESTOLOY STEEL

The long, thin nose of this plier is bent at an angle which makes it very handy for working on machines where there are out of the way corners into which it is necessary to reach. CRESTOLOY steel and careful tempering gives them a good grip. Jaws will not break off, even though sprung or twisted out of shape. They always return to normal when pressure is released. Each one is individually tested for strength on our specially designed testing machines.

Finish: Polished head, gun metal handles.

Number	*Size*	*Point Size*	*Weight, Each*
888	6"	1/8"x3/32"	**6 oz.**

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XII, Class 1.



SHORT NOSE DIAGONAL CUTTING PLIERS OF CRESTOLOY STEEL

A tool similar to number 942, except that it has a short, stubby nose and consequently has more cutting power at the end of the nose. Suitable for close work. Tested for strength and cutting ability. Used extensively by aviation mechanics.

Finish: Gun metal with polished head.

Number	*Size*	*Weight, Each*
940	6"	**5 oz.**

Packed—One in a box.



DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL

These light diagonals are extremely useful tools. They have a good "feel" in the hand, balance nicely and their keen blades cut easily and cleanly. Each one is individually tested for strength and cutting ability on our specially designed testing machines. In spite of their lightness, CRESTOLOY steel gives them great strength and cutting power.

Finish: Polished head, gun metal handles.

Number	*Size*	*Weight, Each*
942	4 1/2"	**3 oz.**
942	5"	**4 oz.**
942	6"	**6 oz.**

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type IV, Class 1, Style B.

DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL



942 SC

Same as regular No. 942, with spring and Softgrip handles. Softgrip handles make these tools easy on the hands of their users and are "color keyed" for easy identification.

Finish: Polished head, orange Softgrip Plastic handles.

Number	*Size*	*Weight, Each*
942—4 1/2" SC	4 1/2"	**3 1/2 oz.**
942—5" SC	5"	**4 1/2 oz.**
942—6" SC	6"	**6 1/2 oz.**

Packed—One in a box.



CRESTOLOY DIAGONAL CUTTER, WITH SPRING

Small spring between the handles forces the jaws apart. Very handy when working with one hand.

Finish: Gun metal with polished head.

Number	*Size*	*Weight, Each*
943	5"	**4 oz.**

Packed—One in a box.



CRESTOLOY DIAGONAL CUTTER, WITH SPRING — FOR PLASTIC

Flush cutting blades for cutting sprues from plastic moldings. Coil spring returns blades to open position.

Stop protects edges against snapping together and promotes longer life. Yellow plastic Softgrip handles are easy on the hands. Not intended for cutting metal or wire.

Finish: 945—6" SC—Polished head, yellow Softgrip handles
945—6" S —Polished head, gun metal handles

Number	*Size*	*Blade Length*	*Weight, Each*
945—6" SC	6"	7/8"	**6 1/2" oz.**
945—6"S	Same without plastic handles		**6 oz.**

Packed—One in a box.

CRESCENT TOOLS Give Wings to Work®

CRESCENT® AND CRESTOLOY® PLIERS

CRESCENT COMBINATION PLIER AND FENCE TOOL

A reliable, sturdy, general purpose plier. Flat nose style, with three button's cutters, pipe grip and teeth in extreme tip of nose. This tool is also useful for construction and maintenance of wire fencing.

Finish: Gun metal with polished head.

Number	*Size*	*Weight, Packed*
1000	8″	14 oz.
1000	10″	1 lb. 9 oz.
1000	12″	1 lb. 15 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type III.



LONG NOSE PLIERS OF FORGED CRESTOLOY STEEL

Radio and telephone workers will appreciate this tool. Loops and bends of all sizes can be made with it, and it has enough length in the nose to reach into the tight places. It has unusual strength and gripping ability, for which each plier is individually tested on our specially designed testing machines. (No cutter; if cutter is wanted, see number 654).

Finish: Gun metal with polished head and nose.

Number	*Size*	*Length Overall*	*Length of Nose*	*Point Size*	*Weight, Each*
1033	6″	6 5/8″	2 1/4″	1/8″x3/32″	5 oz.
1033	7″	7 1/2″	3″	5/32″x3/32″	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XI, Class 1, Style B.



1033-6″ SC

Same as 1033—6″ with spring and cushion handle added.
Finish: Polished head, green Softgrip Plastic handles.

Number	*Size*	*Nose Length*	*Overall Length*	*Point Size*	*Weight Each*
1033—6″ SC	6″	2 1/4″	6 5/8″	1/8″x3/32″	5 1/2 oz.

Packed—One in a box.

LONG, FLAT NOSE PLIERS OF CRESTOLOY STEEL

A plier for reaching into tight places and obtaining a firm grip right out on the tip of the jaws. Individually tested.

Finish: Gun metal with polished jaws.

Number	*Size*	*Length of Nose*	*Point Size*	*Weight*
1034	6″	2 1/4″	1/4″x3/32″	5 oz.

Packed—One in a box.

L-O-N-G R-E-A-C-H SHORT NOSE DUCK BILL PLIERS (BOX JOINT)

This is a plier for assembly work of almost any kind. Its long, slender shape gets it in places inaccessible to standard length pliers and it has plenty of gripping and holding power due to the special steel and methods of hardening used in its construction.

The firm, easy working box joint never becomes loose or sloppy and because of it, long, useful life is assured.

Finish: Polished head. Gun metal blue handles.

Number	*Size*	*Overall Length*	*Nose Length*	*Weight Each*
1035	8″	8″	1 1/2″	4 1/2 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XV, Class 2.

L-O-N-G R-E-A-C-H SHORT NOSE CHAIN NOSE PLIERS (BOX JOINT)

A plier for the worker in electronic, radio and television construction and maintenance. Will form loops and bends of all sizes. Reaches easily into the hard to get at places without obstructing its user's view. Firm grip afforded because of its design and the way in which it is hardened. Its box joint keeps it firm and easy working long after ordinary pliers are worn out.

Finish: Polished head. Gun metal blue handles.

Number	*Size*	*Length Overall*	*Nose Length*	*Nose Diameter*	*Weight Each*
1036	8″	8″	1 1/2″	3/32″x3/32″	4 1/2 oz.

Packed—One in a box.

CRESCENT FENCE TOOL & STAPLE PULLER

Farmers, ranch owners and others who use wire fences will need this tool for fence maintenance. Heavy heads for hammering. Two button's cutters, wire stretcher, staple pullers, gripping jaws. Heavy rivet. Cutter capacity 7/32 (.2187) inches.

Number	*Size*	*Weight, Each*
1907	10″	1 lb. 12 oz.

Packed—One in a box.

CRESCENT TOOLS Give Wings to Work®

CRESCENT® AND CRESTOLOY® PLIERS

CRESCENT FENCE TOOL





(1) Note opening which closes easily over head of staple, giving firm grip to pull it out. (2) Grip between handles holds wire tightly while leverage is exerted against post to stretch wire tight before fastening. (3 Sharp heavy prong will get in behind the most stubborn, rusty staple and yank it out. (4) When necessary, both wire and staple can be gripped together by special opening in head of tool. This grip, with leverage against prong will pull staples that resist ordinary methods. Two wire cutters. Cutter capacity 7/32 (.2187) inches.

Broad face on head drives staples straight and rapidly. Knurled handles give good grip.

Finish: Polished head, gun metal handles.

Number	*Length*	*Weight, Each*
1936	10½"	1 lb. 10 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471c — Type XVI.

LINEMEN'S SIDE CUTTING PLIERS OF FORGED CRESTOLOY STEEL

This tool was designed especially to meet the requirements of linemen. The uses to which they subject their pliers have been studied and as a result, we offer the CRESTOLOY 1950 PLIER as being ideally suited to linemen and others who use a plier of this type. Each one is individually tested for strength and cutting ability on our specially designed testing machines.

Finish: Gun metal with polished head.

Number	*Size*	*Weight, Each*
1950	6"	7 oz.
1950	7"	10 oz.
1950	8"	17 oz.

Packed—One in a box.

No. 1950 INSULATED PLIERS

Several of the pliers in the Crescent-Crestoloy line can be supplied with insulating grips made of Tenite. Tests have shown this material to be highly suitable for this purpose. It has a high dielectric value and we recommend pliers to which it has been applied to those who have need for insulated tools.

Number	*Size*	*Weight, Each*
1950-6"I	6"	8 oz.
1950-7"I	7"	11 oz.
1950-8"I	8"	18 oz.

Packed—One in a box.

LINEMEN'S ROUND NOSE PLIERS OF FORGED CRESTOLOY STEEL

The tool that linemen everywhere demand. Its streamlined design makes it easy to work with in close quarters. Slides freely in and out of tool belt loops. It is lighter in weight, with no sacrifice of strength. Its hand-honed cutting edges cut cleanly and retain their sharpness. Milled teeth in the nose give a firm grip. General design makes it easy to work with—it feels good to the hand. Each plier tested for both strength and cutting ability to a point far beyond the strain that any human hand can put on it.

Finish: Gun metal with polished head.

Number	*Size*	*Weight, Packed*
2150	8"	15 oz.

Packed—One in a box.

No. 2150 INSULATED PLIERS

Same as above, with Tenite handles.

Number	*Size*	*Weight, Packed*
2150-8"I	8"	15 oz.

Packed—One in a box.

CRESCENT UNIVERSAL CUTTING PLIER

A tool for general use. It has a flat nose, with teeth for gripping and a keen side cutter. Pipe grip in nose.

Finish: Gun metal with polished head.

Number	*Size*	*Weight, Packed*
3800	6"	7¾ oz.
3800	7"	10 oz.
3800	8"	12 oz.

Packed—One in a box.

No. 3800 INSULATED PLIERS

Same as above, with Tenite handles.

Number	*Size*	*Weight, Packed*
3800-6"I	6"	13 oz.
3800-7"I	7"	1 lb. 4 oz.
3800-8"I	8"	1 lb. 15 oz.

Packed—One in a box.

CRESCENT AVIATION SNIPS



Improved design — exclusively Crescent. Note these important features:

1. Alloy steel blades, giving the utmost in hardness and toughness.
2. Streamlined shape — nothing to catch on metal as you cut it.
3. Smooth polished head — metal slides freely over it. Handles parkerized.
4. Serrations on blades are machine ground, and can be reground at factory.
5. All bolts have self locking nuts to keep snip in proper adjustment at all times.
6. Latch mounted flush. Does its job without getting in the way.

CAT. NO. **V19L** — LEFT HAND — CUTS RIGHT*

CAT. NO. **V19S** — STRAIGHT CUT

CAT. NO. **V19R** — RIGHT HAND — CUTS LEFT*

Made according to Crescent's exclusive new design. Alloy steel blades of extraordinary hardness and toughness. Keenly ground edges, with machine ground serrations.

Both edges and serrations may be reground at the factory at a nominal cost.

Streamlined design. Metal being cut slides back over shoulders of snip without catching. Snips slip easily in and out of overalls pockets.

Keen edged, carefully hardened blades will retain their sharpness over long periods of service and can be resharpened at the factory when it finally becomes necessary.

All bolts equipped with self locking nuts.

*In all American made snips, right hand snips cut to the left and left hand snips cut to the right.

Conform to Fed. Spec. GGG-S-291c — Type II, Class D, Grade A.
Design 1 — V19S
Design 2 — V19L
Design 3 — V19R

COMPOUND LEVERAGE

The easy cutting action that features these CRESCENT Snips is due largely to the extra leverage obtained by the linkage between handles and blades. Ordinary pressure on the handles is multiplied many times in the blade action.

SPECIFICATIONS

Number	*Length Overall*	*Length of Cut*	*Type of Cut*	*Weight*
V19L	**9 3/4"**	**1 3/8"**	**Right**	**13 oz.**
V19S	**9 3/4"**	**1 3/8"**	**Straight**	**13 oz.**
V19R	**9 3/4"**	**1 3/8"**	**Left**	**13 oz.**

Finish: Polished blades, parkerized handles.

Packed: One in a box.



INSULATING SLEEVES of NEOPRENE,

carefully moulded to fit the handles of these snips are available at slight extra cost and can be supplied separately or installed. These also feature a hand guard which allows the operator to exert additional pressure.

Neoprene is also notable for its toughness at all temperatures and its resistance to oils and acids.

Order V19L-G, V19S-G or V19R-G for Crescent Aviation Snips with Neoprene Grips.

CRESCENT TOOLS Give Wings to Work ®

SNIPS WITH UNUSUAL CUTTING ABILITY





STANDARD PATTERN

These snips are designed after the pattern of snips with inlaid blades. They are forged of special steel and the blades are ground on special machines which give them a keen, strong edge that will retain its sharpness. Powerful leverage makes them cut evenly and smoothly.

Finish: Polished blades. Blue enameled handles.

Number	*Equivalent to Inlaid Snip Numbers*	*Length*	*Cut*	*Weight Each Packed*
S47	14	7 "	1¾"	6 oz.
S48	13	8 "	1⅞"	8 oz.
S49	12	9 "	2 "	11 oz.
S410	11	10 "	2¼"	1 lb.
S411	10	11 "	2½"	1 lb. 6 oz.
S412	9	12¾"	3 "	1 lb. 14 oz.
S413	8	13⅞"	3½"	2 lbs. 9 oz.
S414	7	14⅞"	4 "	3 lbs. 1 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-S-291c — Type II, Class A, Grade B.



HEAVY DUTY SNIPS

U416 Heavy duty type. Made for the extra heavy jobs. Cuts curves as well as straight lines.

Finish: Polished blades. Blue enameled handles.

Number	*Length*	*Cut*	*Weight Each Packed*
U416	16¼"	2¼"	2¾ lbs.

Packed—One in a box.

Conforms to Fed. Spec. GGG-S-291c — Type II, Class A, Grade B.

CIRCULAR CUTTING SNIPS

Designed specially for cutting out intricate patterns and curves. They cut smoothly and leave the metal unbent. In quality, they are the same as the S4 line of Crescent snips shown on this page.

Finish: Polished blades. Blue enameled handles.

Number	*Length*	*Cut*	*Weight Each Packed*
T47	7 "	1¾"	7 oz.
T412	12¾"	3 "	1 lb. 14 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-S-291c — Type II, Class C.



COMBINATION PATTERN

Forged steel snip designed after the standard circular cutting style. These have the same keen edges which characterize the "S" and "T" snips and they cut smoothly and easily.

Finish: Polished blades. Blue enameled handles.

Number	*Length*	*Cut*	*Weight Each Packed*
U412	12¾"	3"	1 lb. 13 oz.

Packed—One in a box.

HACKSAWS

built in the CRESCENT way



Experience and "Know-how" are of the utmost importance in the manufacture of tools. Proper grades of steel, adequate strength without excess weight, balance — how the tool feels to its user — are all matters that had to be thoroughly checked and tested before the specifications governing CRESCENT Hacksaw Frames were adopted.

As a result, here are Hacksaws that will do their job — day in and day out — without losing their shape or falling apart. They have plenty of rugged strength, yet because of proper balance, do not seem heavy or clumsy.

HACKSAW HANDLES

used by Crescent are the best available. On 1044N and 1049, we use "Neoprene" which looks and feels like natural rubber, yet resists oil, acids, high and low temperatures. 1060 and 1061 have "Tenite" handles as used on Crescent Screwdrivers for years. One of the best of the plastics available for this purpose. On 1044, 1046 and 1047, steel handles give more strength, more resistance to wear and breakage than any handle made. Use any Crescent Hacksaw with confidence in its strength and capacity for service.

HACKSAW PARTS

Small parts, as illustrated above, sometimes get lost or broken.

New parts are always available so that Crescent Hacksaws can be kept in service.

Order by name of part, giving style number of frame.

(In the No. 1042, the handle tightens the blade instead of a wing nut, and is available as a spare part. Handles for the pistol grip style frames are not available separately.)

HACKSAW BLADES

HARD HACKSAW BLADES

Made of tungsten alloy steel. Teeth carefully milled and set so that every tooth cuts. Hardened all over. Made of 23 gauge steel.

Number	*Teeth*	*Size*	*Width*	*Weight per 100*
1239	18, 24 or 32	10"	½"	3 lbs. 4 oz.
1239	18, 24 or 32	12"	½"	4 lbs. 4 oz.

Packed—Ten in a bundle. One hundred in a box.

FLEXIBLE HACKSAW BLADES

Made of tungsten alloy steel, but teeth only are hardened, making blade flexible. Otherwise same as No. 1239.

Number	*Teeth*	*Size*	*Width*	*Weight per 100*
1439	18, 24 or 32	10"	½"	3 lbs. 4 oz.
1439	18, 24 or 32	12"	½"	4 lbs. 4 oz.

Packed—Ten in a bundle. One hundred in a box.

CRESCENT TOOLS Give Wings to Work®

CRESCENT HACKSAW FRAMES

CRESCENT HACKSAW FRAME No. 1042

A strong frame, easy to adjust and rigid at all positions. Straight, hard maple handle. Adjustable for 8 to 12 inch blades.

Finish: Frame nickel plated, natural finish handle.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1042	8-12" adj.	2½"	3/16 x 11/16	19 oz.

Packed—One in a box, with blade, 4 dozen in shipping carton.

CRESCENT EXTRA HEAVY DUTY HACKSAW FRAME
No. 1044N with NEOPRENE HANDLE
No. 1044 with STEEL HANDLE

Non-adjustable, for 12 inch blades only. This saw will remain rigid under hard service and is sufficiently strong to permit the use of power saw blades if so desired.

Finish: Chromium plate. Black Neoprene or steel handle.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1044, 1044N	12"	3¼"	3/16 x 7/8	2 lbs. 1 oz.

Packed—One in a box, with blade.



CRESCENT HACKSAW FRAME No. 1046

This is an all steel frame, adjustable style. The handle is made of heavy gauge steel in the popular pistol grip style and is securely riveted to the frame. This is the most durable saw that can be bought. It will stand throwing around without breaking.

Finish: Both frame and handle are nickel plated.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1046	8-12" adj.	2½"	.164 x 9/16	22 oz.

Packed—One in a box.
Packed—3 dozen in a shipping carton.

CRESCENT HACKSAW FRAME No. 1047

This is the same as No. 1046 except that it has a deeper cut and is made of heavier stock.

Finish: Both frame and handle are nickel plated.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1047	8-12" adj.	3¼"	3/16 x 11/16	28 oz.

Packed—One in a box with blade.
Packed—3 dozen in a shipping carton.

CRESCENT HACKSAW FRAME No. 1049

Adjustable style with Neoprene handle. Like all Crescent frames, the blade holding parts are accurately turned on screw machines — not pressed out. This makes adjustment easy and positive.

Finish: Frame chromium plated, black Neoprene handle.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1049	8-12" adj.	3¼"	3/16 x 11/16	1 lb. 13 oz.

Packed—One in a box, with blade.
Packed—3 dozen in a shipping carton.



CRESCENT HACKSAW FRAME No. 1060

Closed handle style with Tenite handle. Adjustable for 8" to 12" blades. Heavy gauge steel gives ample strength for the toughest cutting jobs. Welded blade holding clips prevent looseness or breakage.

Finish: Frame chromium plated. Blue Tenite handle.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1060	8-12" adj.	2½"	.164 x 9/16	26 oz.

Packed—One in a box, with blade.



CRESCENT HACKSAW FRAME No. 1061

Rigid, non-adjustable frame for 12" blades. The ideal saw for heavy work. Closed handle protects hand. Rugged construction gives rigidity enough to enable power saw blades to be used if desired.

Finish: Frame chromium plated. Blue Tenite handle.

Number	*Size*	*Depth of Cut*	*Steel*	*Weight, Each*
1061	12"	2½"	.164 x 9/16	28 oz.

Packed—One in a box, with blade.

CRESCENT TOOLS Give Wings to Work®

PUNCHES, CHISELS, STAR DRILLS

Forged from high quality tool steel. Hardened to proper degree to do the kind of work for which they are intended. Strong, serviceable tools that will give satisfactory results under trying conditions. Heads of all Crescent Punches and Chisels are purposely left softer than the working ends so that under severe pounding they will not chip off, endangering other workmen.

CRESCENT REPAIR AND LINING UP PUNCHES

A tool for which the mechanic can find many uses. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	*Point*	*Stock*	*Length*	*Taper*	*Weight per Doz.*
95	3/16"	1/2"	9"	6"	4 lbs. 9 oz.
95	1/4"	5/8"	10"	7"	7 lbs. 11 oz.
95	3/8"	5/8"	12"	9"	10 lbs.

Packed—One dozen in box. 3/8", 6 in a box.

CRESCENT CENTER PUNCHES

Tough and serviceable. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	*Stock*	*Length*	*Weight per Doz.*
486	1/4"	3 1/2"	9 oz.
486	5/16"	4 "	15 oz.
486	3/8"	5 "	1 lb. 13 oz.
486	1/2"	6 "	3 lbs. 9 oz.

Packed—One dozen in a box.

CRESCENT PRICK PUNCHES

Sharp, tough point. Forged tool steel, hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	*Stock*	*Length*	*Weight per Doz.*
487	5/16"	4 "	14 oz.
487	3/8"	4 1/2"	1 lb. 6 oz.

Packed—One dozen in a box.

CRESCENT PIN PUNCHES

Hard and dependable. Forged tool steel, hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	*Point*	*Stock*	*Length*	*Weight per Doz.*
488	1/8"	3/8"	6"	1 lb. 11 oz.
488	5/32"	3/8"	6"	1 lb. 12 oz.
488	3/16"	3/8"	6"	1 lb. 13 oz.
488	1/4"	1/2"	6"	2 lbs. 14 oz.
488	5/16"	5/8"	8"	5 lbs. 12 oz.

Packed—One dozen in a box.

CRESCENT SOLID PUNCHES

Hard and tough. Forged tool steel, hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	*Point*	*Length*	*Stock*	*Weight per Doz.*
489	3/32"	6"	1/2"	3 lbs. 6 oz.
489	1/8"	6"	1/2"	3 lbs. 7 oz.
489	5/32"	6"	1/2"	3 lbs. 7 oz.
489	3/16"	6"	1/2"	3 lbs. 8 oz.
489	7/32"	6"	1/2"	3 lbs. 9 oz.
489	1/4"	6"	1/2"	3 lbs. 10 oz.
489	9/32"	6"	1/2"	3 lbs. 11 oz.
489	5/16"	7"	5/8"	6 lbs. 5 oz.
489	7/16"	7"	3/4"	9 lbs. 8 oz.

Packed—One dozen in a box, 5/16", 7/16", 6 in a box.

CRESCENT PIN PUNCHES

Straight and true. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	*Point*	*Stock*	*Length*	*Weight per Doz.*
490	1/8"	3/8"	9"	2 lbs. 4 oz.
490	5/32"	3/8"	9"	2 lbs. 5 oz.
490	3/16"	3/8"	9"	2 lbs. 6 oz.
490	1/4"	1/2"	9"	4 lbs. 3 oz.
490	5/16"	1/2"	9"	4 lbs. 10 oz.
490	3/8"	1/2"	9"	5 lbs. 2 oz.

Packed—One dozen in a box.

CRESCENT TOOLS Give Wings to Work®

PUNCHES, CHISELS, STAR DRILLS

CRESCENT COLD CHISELS

These chisels have a keen, tough cutting edge that will stand a lot of hard service. Forged tool steel specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	*Cutting Edge*	*Stock*	*Length*	*Weight per Doz.*
160	1/4"	1/4"	4 3/4"	14 oz.
160	5/16"	5/16"	5 "	1 lb. 4 oz.
160	3/8"	3/8"	5 1/2"	2 lbs. 1 oz.
160	1/2"	1/2"	6 "	3 lbs. 13 oz.
160	5/8"	5/8"	6 1/2"	6 lbs. 4 oz.
160	3/4"	3/4"	7 1/2"	9 lbs. 8 oz.
160	7/8"	7/8"	8 "	14 lbs.
160	1 "	1 "	8 1/2"	19 lbs.

Packed—One dozen in a box. 5/8" and larger, 6 in a box.

CRESCENT EXTRA LENGTH COLD CHISELS

Number	*Cutting Edge*	*Stock*	*Length*	*Weight per Doz.*
260	1/2"	1/2"	12"	7 lbs. 14 oz.
260	5/8"	5/8"	12"	12 lbs. 1 oz.
260	3/4"	3/4"	12"	17 lbs. 11 oz.
260	7/8"	7/8"	12"	23 lbs. 10 oz.
260	1 "	1 "	12"	33 lbs. 14 oz.

Packed—Six in a box.

CRESCENT STAR DRILLS

Hand forged from high carbon tool steel. Will drill through concrete, rock or brick. Specially hardened and tempered. Fast cutting and self clearing.

Made in two lengths, twelve inch and eighteen inch.

Finish: Blue enamel with red head and dull finish points.

Number	*Cutting Edge*	*Weight, 12 Inch per Dozen*	*Weight, 18 Inch per Dozen*
161	1/4"	2 lbs. 2 oz.	3 lbs. 10 oz.
161	5/16"	2 lbs. 4 oz.	3 lbs. 10 oz.
161	3/8"	3 lbs. 8 oz.	4 lbs. 14 oz.
161	7/16"	3 lbs. 12 oz.	5 lbs. 2 oz.
161	1/2"	4 lbs. 12 oz.	7 lbs. 2 oz.
161	5/8"	8 lbs. 4 oz.	12 lbs. 12 oz.
161	3/4"	8 lbs. 4 oz.	12 lbs. 12 oz.
161	7/8"	12 lbs. 14 oz.	19 lbs. 8 oz.
161	1 "	18 lbs. 12 oz.	28 lbs. 8 oz.
161	1 1/8"	18 lbs. 12 oz.	28 lbs. 8 oz.
161	1 1/4"	25 lbs. 8 oz.	38 lbs.
Packed —	12 inch —	1/4" to 7/8"	12 in a box
		1 " to 1 1/4"	6 in a box
	18 inch —	1/4" to 5/8"	12 in a box
		3/4" to 1 1/4"	6 in a box

CRESCENT DIAMOND POINT CHISELS

These chisels stand up under hard service. They are forged tool steel, well hardened and tempered.

Finish: Blue enamel with red head and dull finish blade.

Number	*Cutting Edge*	*Stock*	*Length*	*Weight per Doz.*
164	1/4"	3/8"	5 1/2"	1 lb. 15 oz.
164	5/16"	1/2"	6 "	3 lbs. 12 oz.
164	3/8"	5/8"	6 1/2"	5 lbs. 14 oz.
164	1/2"	3/4"	7 1/2"	10 lbs. 3 oz.
164	5/8"	7/8"	8 "	14 lbs. 6 oz.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.

CRESCENT CAPE CHISELS

Very serviceable tools. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	*Cutting Edge*	*Stock*	*Length*	*Weight per Doz.*
165	1/4"	3/8"	5 1/2"	1 lb. 14 oz.
165	5/16"	1/2"	6 "	3 lbs. 7 oz.
165	3/8"	5/8"	6 1/2"	5 lbs. 7 oz.
165	1/2"	3/4"	7 1/2"	9 lbs. 4 oz.
165	5/8"	7/8"	8 "	13 lbs. 5 oz.
165	3/4"	7/8"	8 1/2"	15 lbs.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.

CRESCENT HALF ROUND NOSE CHISELS

Sturdy, well made and durable. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	*Cutting Edge*	*Stock*	*Length*	*Weight per Doz.*
166	1/4"	3/8"	5 1/2"	1 lb. 15 oz.
166	5/16"	1/2"	6 "	3 lbs. 8 oz.
166	3/8"	5/8"	6 1/2"	5 lbs. 12 oz.
166	1/2"	3/4"	7 1/2"	9 lbs. 8 oz.
166	5/8"	7/8"	8 1/4"	14 lbs. 5 oz.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.

CRESCENT ROUND NOSE CHISELS

Tough and sharp. Forged tool steel specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	*Cutting Edge*	*Stock*	*Length*	*Weight per Doz.*
167	1/4"	3/8"	5 1/2"	2 lbs. 1 oz.
167	5/16"	1/2"	6 "	3 lbs. 14 oz.
167	3/8"	5/8"	6 1/2"	6 lbs. 6 oz.
167	1/2"	3/4"	7 1/4"	10 lbs. 4 oz.
167	5/8"	7/8"	8 "	15 lbs. 2 oz.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.

CRESCENT WOOD CHISELS

All steel. For heavy duty work. Plumbers and electricians find them especially useful. They will take a keen edge and hold it. Repeated sharpening is possible as blade is hardened throughout.

Finish: Blue enamel with red head and polished blade.

Number	*Size*	*Length*	*Weight*
175	3/4"	9"	12 oz.
175	1 "	9"	13 oz.
175	1 1/4"	10"	14 oz.

Packed—Three in a box. Each one paper wrapped.

Note: As sold, these chisels are ground for ordinary work. For fine work, honing will probably be necessary.

CRESCENT TOOLS Give Wings to Work®

TWO FAMOUS NAMES

"CRESCENT" PLUS "TENITE"

combine to make these screwdrivers without equal. CRESCENT uses hot forged blades, electronically hardened full length and individually tested to insure tips that will not break or bend. The Tenite handles are shaped to give a good grip — yet will not hurt the hands. Handles assembled to blades under pressure — cannot turn or pull out.

STANDARD PATTERN

This is a general purpose tool for use under average conditions. Points are sized to fit screw slots within each screwdriver's range of use.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight per Doz.
K1303	3"	3/16"	.032"	6 7/8"	1/4"	2 lbs. 4 oz.
K1304	4"	1/4"	.040"	8 1/4"	1/4"	3 lbs. 9 oz.
K1306	6"	5/16"	.045"	10 1/2"	5/16"	6 lbs. 2 oz.
K1308	8"	3/8"	.050"	12 1/2"	3/8"	7 lbs. 3 oz.
K1310	10"	3/8"	.050"	15 1/2"	3/8"	8 lbs.
K1312	12"	3/8"	.050"	17 1/2"	3/8"	8 lbs. 13 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.

ELECTRICIANS' OR CABINET PATTERN

For fine work — no flare on point. Used extensively by cabinet makers, electricians and others who need the advantage of a thin, yet sturdy screwdriver.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight per Doz.
K1503	3"	3/16"	.032"	6 1/2"	3/16"	1 lb. 15 oz.
K1504	4"	3/16"	.032"	7 1/2"	3/16"	2 lbs. 6 oz.
K1506	6"	3/16"	.032"	10"	3/16"	2 lbs. 11 oz.
K1508	8"	3/16"	.032"	12"	3/16"	2 lbs. 9 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handles.

Packed—Six in a box.

SQUARE ROD STYLE

These are for heavy work. Special steel gives them superior strength. A wrench may be applied to square shank for extra leverage.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight per Doz.
K1604	4"	1/4"	.040"	8 1/4"	1/4" sq.	3 lbs. 6 oz.
K1606	6"	5/16"	.045"	10 1/2"	5/16" sq.	5 lbs. 15 oz.
K1608	8"	3/8"	.050"	12 1/2"	3/8" sq.	8 lbs. 2 oz.
K1610	10"	3/8"	.050"	15 1/2"	3/8" sq.	9 lbs. 2 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.

PHILLIPS POINT

No screwdriver line is complete today without sizes for Phillips screws. These are used extensively in automobiles, radio and TV cabinets, appliances, furniture and many other items in daily use. These made by CRESCENT have plenty of rugged strength.

Number	Blade Length	Phillips Point No.	Fits Screw Sizes	Overall Length	Rod Dia.	Weight per Doz.
K1701	3"	1	4 and smaller	6 1/2"	3/16"	1 lb. 14 oz.
K1702	4"	2	5 to 9 incl.	8 1/4"	1/4"	3 lbs. 4 oz.
K1703	6"	3	10 to 16 incl.	10 1/2"	5/16"	5 lbs. 10 oz.
K1704	6"	4	18 and larger	10 1/2"	3/8"	6 lbs. 10 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.

REGULAR STUBBY

There are many places where space is limited and this handy screwdriver is needed. Made in one size as illustrated.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight, per Doz.
K1102S	1 1/2"	1/4"	.032"	3 1/2"	1/4"	1 lb. 6 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.



PHILLIPS STUBBY

Handy to use and you can put lots of pressure against a rusted screw by holding driver in palm of your hand. Made with No. 2 Phillips point only.

Number	Blade Length	Phillips Pt. No.	Fits Screw Sizes	Overall Length	Rod Diameter	Weight, per Doz.
K1702S	1 1/2"	2	5 to 9 incl.	3 1/2"	1/4"	1 lb. 6 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.

WOOD HANDLE SCREWDRIVERS

1. Blades hardened full length. Built for hard work.
2. Ferrules turned from solid bar steel. Not pressed or punched out.
3. Handles turned out of seasoned hard maple. Natural finish.
4. Permanent assembly. Parts assembled under heavy pressure. Handles can't loosen or blades turn in ferrules.

CRESCENT SHORT SCREWDRIVERS

For use where regular length screwdrivers cannot be used. Handle cannot turn or pull loose from blade. Ferrule turned from solid bar of steel and will not work loose. Hard maple handle.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K101½	1½"	4¼"	5/32"	.030"	3/16 rd.	1 lb.

Packed—Six in a box, each one paper wrapped.

CRESCENT SCREWDRIVERS

General purpose type for home or shop use. Blades hardened full length. Ferrule turned, not pressed. Handle cannot turn or work loose from blade. Hard maple handle.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K302	2"	6 "	5/32"	.030"	¼ rd.	1 lb. 13 oz.
K303	3"	7 "	3/16"	.032"	¼ rd.	2 lbs.
K304	4"	8¾"	¼"	.040"	¼ rd.	2 lbs. 15 oz.
K305	5"	9¾"	5/16"	.045"	5/16 rd.	3 lbs. 12 oz.
K306	6"	12 "	5/16"	.045"	5/16 rd.	4 lbs. 15 oz.
K308	8"	14 "	3/8"	.050"	3/8 rd.	6 lbs. 10 oz.
K310	10"	16 "	3/8"	.050"	3/8 rd.	7 lbs. 8 oz.
K312	12"	18 "	3/8"	.050"	3/8 rd.	8 lbs. 3 oz.

Packed—Six in a box, each one paper wrapped.

CRESCENT SCREWDRIVERS

Rod extends clear through handle. Blade hardened full length. Ferrule turned from solid bar and forced onto blade under heavy pressure. Neither ferrule nor handle can work loose from blade.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K404	4"	8¾"	¼"	.040"	¼ rd.	3 lbs. 6 oz.
K406	6"	12 "	5/16"	.045"	5/16 rd.	5 lbs. 15 oz.
K408	8"	14 "	3/8"	.050"	3/8 rd.	7 lbs. 12 oz.

Packed—Six in a box, each one paper wrapped.

CRESCENT ELECTRICIANS' AND CABINET SCREWDRIVERS

For fine work. No flare at point. Blades hardened full length. Ferrule turned from solid bar and forced onto bit under heavy pressure. Handles made of straight grained, hard maple. Will never work loose.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K502½	2½"	6½"	3/16"	.032"	3/16 rd.	1 lb. 10 oz.
K504½	4½"	8½"	3/16"	.032"	3/16 rd.	1 lb. 15 oz.
K505½	5½"	9½"	3/16"	.032"	3/16 rd.	2 lbs.
K506½	6½"	10½"	3/16"	.032"	3/16 rd.	2 lbs. 1 oz.

Packed—Six in a box, each one paper wrapped.

CRESCENT SCRATCH AWLS, SCRIBERS

CRESCENT SCRATCH AWLS — WOOD HANDLE

An ideal tool for scribing on hard surfaces. Also useful as a hand punch. Easily resharpened.

Made of fine tool steel. Ferrule turned from solid bar of steel and forced onto blade under pressure. Rod extends through handle. Blade drawn out to sharp point.

Finish: Natural finish, hard maple handle, polished blade and ferrule.

Number	Overall Length	Blade Length	Blade Diameter	Shipping Weight
73	6⅝"	3⅞"	¼"	3-5/12 oz.

Packed—Six in a box.

CRESCENT SCRATCH AWLS — SCRIBERS TENITE HANDLE

Fine steel point, tough Tenite handle that will give excellent performance over a long period of time. Handle flattened to prevent rolling. Blade hardened full length and can be repeatedly sharpened.

Finish: Polished blade. Blue Tenite handle.

Number	Overall Length	Blade Length	Blade Diameter	Shipping Weight
74	6½"	3½"	¼"	2 oz.

Packed—Six in a box.

CRESCENT NAIL PULLERS

Knowing that these tools will receive severe treatment, we have designed them with plenty of strength and ruggedness to enable them to give satisfactory service.

Rammers are of cast iron, heavy enough to drive the jaws into a box enough to enable them to get a good grip on the nail head.

Drop forged jaws, made in box joint style to keep them in perfect alignment.

CRESCENT No. 101 GIANT NAIL PULLER

Forged steel jaws. Equipped with box chisel and strap cutter. Box joint keeps jaws in perfect alignment.

Finish: Aluminum finished rammer, blue body and handhold. Polished jaws.

Number	*Overall Length*	*Rammer Length*	*Weight, Each*
101	20″	12″	5 lbs. 3 oz.

Packed—One dozen in case, weight, 61 lbs.

REPAIR PARTS FOR NAIL PULLERS



These parts are available at all times, making it possible to keep Nail Pullers in service.

In ordering, be sure to specify the number of the puller for which parts are required.

CRESCENT No. 1 GIANT NAIL PULLER

Consists of rammer, handle and long and short jaw. Box joint keeps jaws in perfect alignment.

Finish: Aluminum finish rammer, blue body and handhold, polished jaws.

Number	*Overall Length*	*Rammer Length*	*Weight, Each*
1	18″	12″	4 lbs. 11 oz.

Packed—One dozen in case, weight, 60 lbs.

Conforms to Fed. Spec. GGG-P-791a — Type I, Class 1.

CRESCENT No. 13 ECLIPSE NAIL PULLER

Forged steel jaws. Box joint keeps jaws in perfect alignment.

Finish: Blue rammer, natural black jaws.

Number	*Overall Length*	*Rammer Length*	*Weight, Each*
13	18″	11″	4 lbs. 12 oz.

Packed—One dozen in case, weight, 59 lbs.

CRESCENT STAPLE PULLER

A tool for linemen's use. It is designed to remove the staples by means of which ground wire shields are held against poles. These staples can be removed without damage to either shield or staple so that they can be reused.

Forged steel jaws, cadmium plated to resist rust. Rubber grip on handle. Ring at top so that tool can be hung up when not in use.

Finish: Cadmium plate.

Number	*Size*	*Weight, Each*
15	20″	3¾ lbs.

Packed—In bulk.

CRESCENT TOOLS Give Wings to Work ®

CRESCENT HAVEN'S GRIPS



368
369



370

Forged from special alloy steel and carefully heat treated.

1. Note solid loop — cannot pull out or stretch out of line.
2. Large eye will accommodate heavy hook.
3. Extra heavy construction adds strength and gives long life.
4. (370 only) Safety latch to prevent grip from falling off wire. Latch also gives additional strength.

SPECIFICATIONS

Number	*Max. Opening*	*Min. Opening*	*Safe Load*	*Eye Opening*	*Weight*
368	1/4 (.25)" 6.5 mm.	3/64 (.050)" 1.5 mm.	2500 lbs. (1100 KG)	7/8" x 1 1/4"	1 lb.
369	1/2 (.5)" 12.5 mm.	1/8 (.125)" 3 mm.	5000 lbs. (2200 KG)	1 1/8" x 1 11/16"	2 lbs. 6 oz.
370	13/16 (.8125)" 20.64 mm.	9/32 (.282)" 7.14 mm.	10,000 lbs. (4500 KG)	1 1/4" x 1 3/4"	4 lbs.

Finish: Cadmium plate.
Packed—One in a box.

CRESCENT TOOLS *Give Wings to Work* ®

CRESCENT WIRE GRIPS

Each Grip is tested to full load capacity before it leaves the factory.

1. Parallel jaws give a firm, non slip grip that will not injure the wire.
2. Safety latch adds extra strength, prevents grip from dropping off wire.
3. Large eye — will accommodate hook on tackle block.
4. Ring at top for use with hot line hooks.
5. All parts heavily built for strength and long life.
6. No jaw springs. Easy to place on wire with jaws fully open.

SPECIFICATIONS

For bare and insulated wire, use serrated jaw style. For bare aluminum wire only, smooth jaws.

Number	*Maximum Capacity*	*Minimum Capacity*	*Safe Load*	*Eye Opening*	*Weight*
383 — Serrated Jaws	5/16 (.3125)" 8 mm.	5/32 (.156)" 4 mm.	5,000 lbs. (2200 KG)	1 1/8" x 1 11/16"	1 3/4 lbs.
383-2 — Same, except with smooth jaws for aluminum wire.					
384 — Serrated Jaws	1/2 (.500)" 12.2 mm.	1/4 (.250)" 6.5 mm.	7,500 lbs. (3400 KG)	1 1/4" x 1 3/4"	3 5/16 lbs.
384-2 — Same, except with smooth jaws for aluminum wire.					
385 — Serrated Jaws	3/4 (.750)" 19 mm.	3/8 (.375)" 9.5 mm.	10,000 lbs. (4500 KG)	1 1/4" x 1 3/4"	4 7/8 lbs.
385-2 — Same, except with smooth jaws for aluminum wire.					
386 — Serrated Jaws	1 1/16 (1.0625)" 27 mm.	9/16 (.5625)" 14.5 mm.	12,500 lbs. (5600 KG)	1 5/8" x 2 3/8"	9 lbs.
386-2 — Same, except with smooth jaws for aluminum wire.					

Finish: Cadmium plated.

Packed — One in a carton.

CRESCENT HOT LINE GRIPS

COMPLETE REMOTE OPERATION WITH HOT LINE STICKS

NOTCH and SPRING TYPE



This is a popular type of hot line grip which is easy and safe to use. (See explanation at right.) It has all the valuable features of the grips on page 41, plus the hot line feature now in demand by line crews everywhere. Each grip tested to its safe load capacity.

Made on 383, 384 and 385 frames.



Grip is held open by engaging notch "B" in eye in frame, then is placed on wire by means of eye "A". Latch "D" is swung into place with hot line stick. When ready, notch "B" is disengaged by pushing up pulling eye and spring "C" closes jaws.

Grip is released by placing hot line hook on rivet stud "E" and pulling until notch "B" engages frame loop.

SPECIFICATIONS

For bare and insulated wire, use serrated jaw style. For bare aluminum wire only, smooth jaws.

Number	*Maximum Capacity*	*Minimum Capacity*	*Safe Load*	*Eye Opening*	*Weight*
383 HL — Serrated Jaws	5/16 (.3125)" 8 mm.	5/32 (.156)" 4 mm.	5,000 lbs. (2200 KG)	1 1/8" x 1 11/16"	1 3/4 lbs.
383-2 HL — Same, except with smooth jaws for aluminum wire.					
384 HL — Serrated Jaws	1/2 (.500)" 12.2 mm.	1/4 (.250)" 6.5 mm.	7,500 lbs. (3400 KG)	1 1/4" x 1 3/4"	3 5/16 lbs.
384-2 HL — Same, except with smooth jaws for aluminum wire.					
385 HL — Serrated Jaws	3/4 (.750)" 19 mm.	3/8 (.375)" 9.5 mm.	10,000 lbs. (4500 KG)	1 1/4" x 1 3/4"	4 7/8 lbs.
385-2 HL — Same, except with smooth jaws for aluminum wire.					

Finish: Cadmium plated.
Packed: One in a carton.

WORM GEAR TYPE

These grips are an adaptation of the standard CRESCENT GRIP shown on page 41.
This development was brought about by the need for grips that can be safely used on hot lines.
Its operation by linemen familiar with the use of hot line stocks is so simple as to be almost obvious.
Grip is opened to capacity by turning eye "B". Then, after opening latch "C", grip is placed on wire by means of a hot line hook in eye "A". Latch "C" is then closed over pin "E" which prevents grip from falling off wire. This latch, in closed position also adds considerably to the strength of the grip, by its support of the outer end of rivet "F". Then grip is clamped on wire by turning eye "B" until jaws grip the wire. Load is then applied to eye "D" and the wire pulled to its intended position.
†Made in two styles only — see specifications below. (385 HLX; 385-2 HLX).



SPECIFICATIONS

For bare and insulated wire, use serrated jaw style. For bare aluminum wire only, smooth jaws.

Number	*Maximum Capacity*	*Minimum Capacity*	*Safe Load*	*Eye Opening*	*Weight*
†385 HLX — Serrated Jaws	3/4 (.750)" 19 mm.	3/8 (.375)" 9.5 mm.	10,000 lbs. (4500 KG)	1 1/4" x 1 3/4"	5 lbs.
†385-2 HLX — Same, except with smooth jaws for aluminum wire.					

Finish: Cadmium plated.
Packed: One in a carton.

CRESCENT TOOLS Give Wings to Work®

CRESCENT A.C.S.R. GRIPS

GREATER GRIPPING POWER WITH MUCH LESS WEIGHT





ROUND JAW STYLE FOR SPECIFIC WIRE SIZES AS LISTED BELOW

Crescent Grips for large sizes of aluminum wire are now available in four sizes listed below. Instead of the conventional V-shaped jaws, these Grips have rounded jaw sections, machined to a specific wire size, and will not crush or distort the wire. This design also greatly increases gripping power since there is practically 100% contact between wire surface and jaws.

These grips have all the quality features which distinguish other Crescent Wire Grips . . . jam proof, easily released, individually pretested to their safe load capacity.

SPECIFICATIONS

Number	*Capacity*	*Safe Load*	*Eye Opening*	*Weight*
386-20 Series	477000 CM to 795000 CM ACSR (9/16" - 1 1/16")	12,500 lbs. (5600 KG)	1 5/8" x 2 3/8"	9 lbs.
387 Series	795000 CM to 1590000 CM ACSR (1" - 1 1/2")	15,000 lbs. (6700 KG)	1 3/4" x 2 3/8"	22 lbs.

These grips have round, smooth jaws to fit one wire size only within their capacity ranges.
Made on special order only.
Finish: Cadmium plated.
Packed: One in a carton.

CRESCENT TOOLS Give Wings to Work ®

CAPACITY DATA — CRESCENT WIRE GRIPS — SERRATED JAW

Grip No. / Safe Load / Weight	Serrated Jaw Capacity Min.	Serrated Jaw Capacity Max.	Steel Strand Guy	Copper—Bare Solid A.W.G.	Copper—Bare Stranded Cir. Mils or A.W.G.	Copper—Bare Stranded No. of Wires	(Note)* Copper—Weatherproof Solid A.W.G.	(Note)* Copper—Weatherproof Stranded A.W.G. or Cir. Mils	Copper Weld Stranded 3 Wire A.W.G.	Copper Weld Stranded 7 Wire A.W.G. or Cir. Mils
383 S.L. 5000 lb. Wt. 1-3/4 lb.	5/32" .156	5/16" .3125	5/32" 3/16"	6 4 2	8 6 6 4 4	3 3 7 3 7	14 12 10 8	8 6	8A 7A 6A 5A 4A	
384 S.L. 7500 lb. Wt. 3-5/16 lb. **384-HL**	1/4" .250	1/2" .500	1/4" 5/16"	2 1/0 2/0 3/0	4 2 2 1/0 2/0	3 3 7 7 7	6 4 2 1/0	6 4 2	5A 4A 3A 2A	5 4 3 2 1 1/0 2/0
385 S.L. 10000 lb. Wt. 4-7/8 lb. **385-HL**	3/8" .375	3/4" .750	3/8" 1/2" 5/8"	3/0 4/0	3/0 3/0 4/0 4/0 4/0	7 12 7 12 19	2 1/0	1/0 2/0 3/0 4/0		1/0 2/0 3/0 4/0
386 S.L. 12500 lb. Wt. 9 lb.	9/16" .5625	1-1/16" 1.0625	5/8" Extra High Strength		250 000 250 000 300 000 300 000 350 000 350 000 400 000 450 000 450 000 500 000 550 000 600 000	12 19 12 19 12 19 19 19 37 37 37 37	(Note)* Double and Triple Braid-Thickness Vary	2/0 3/0 4/0 250 000 300 000 400 000 450 000		*19 Wire* 250 000 300 000 350 000

CAPACITY DATA — CRESCENT WIRE GRIPS — SMOOTH JAW

Grip No. / Safe Load / Weight	Smooth Jaw Capacity Min.	Smooth Jaw Capacity Max.	A. C. S. R. Cir. Mils or A.W.G.	A. C. S. R. Number of Strands Alum.	A. C. S. R. Number of Strands Steel	A. C. S. R. Diameter Inches	All Aluminum Cable Bare Hard Drawn Cir. Mils or A.W.G.	All Aluminum Cable Bare Hard Drawn Number of Strands	All Aluminum Cable Bare Hard Drawn Cable Dia. Inches
383-2 S.L. 5000 lb. Wt. 1-3/4 lb.	5/32" .156	5/16" .3125	6 5 4 4 3	6 6 6 7 6	1 1 1 1 1	0.198 0.223 0.250 0.257 0.281	6 4 3 2	7 7 7 7	0.184 0.232 0.260 0.292
384-2 S.L. 7500 lb. Wt. 3-5/16 lb. **384-2-HL**	1/4" .250	1/2" .500	4 3 2 2 1 1/0 2/0	7 6 6 7 6 6 6	1 1 1 1 1 1 1	0.257 0.281 0.316 0.325 0.355 0.398 0.447	2 1 1/0 1/0 2/0 2/0	7 7 7 19 7 19	0.292 0.328 0.368 0.373 0.414 0.419
385-2 S.L. 10000 lb. Wt. 4-7/8 lt. **385-2-HL**	3/8" .375	3/4" .750	1/0 2/0 3/0 4/0 266 800 266 800 300 000 336 400	6 6 6 6 6 26 26 26	1 1 1 1 7 7 7 7	0.398 0.447 0.502 0.563 0.633 0.642 0.680 0.721	2/0 3/0 3/0 4/0 4/0 250 000 266 800 266 800 300 000 300 000 336 400 336 400 350 000 397 500	19 7 19 7 19 37 7 37 19 37 19 37 37 19	0.419 0.464 0.470 0.522 0.528 0.575 0.586 0.594 0.629 0.630 0.666 0.668 0.681 0.724
386-2 S.L. 12500 lb. Wt. 9 lbs.	9/16" .5625	1-1/16" 1.0625	300 000 336 400 336 400 397 500 397 500	26 26 30 26 30	7 7 7 7 7	0.680 0.721 0.741 0.783 0.806	336 400 336 400 350 000 397 500 477 000	19 37 37 19 19	0.666 0.668 0.681 0.724 0.793
386-20 SERIES S.L. 12500 lb. Wt. 9 lb.	9/16" .5625	1-1/16" 1.0625	477 000 to 795 000 cm. Made to order, with round jaws to fit one wire size only within a range of 9/16" to 1-1/16".						
387 SERIES S.L. 15000 lb. Wt. 22 lb.	1" 1.000	1-1/2" 1.500	795 000 to 1 590 000 cm. Made to order, with round jaws to fit one wire size only within a range of 1" to 1-1/2".						

CRESCENT TOOLS Give Wings to Work®

CRESCENT SLEEVE WRENCHES

PRODUCE BETTER JOINTS FASTER ... SAFER

FEATURES

Sliding handle clears tackle allowing full turns in close quarters.

Oil impregnated hickory handle makes practically perfect insulation, preventing flash if contacted with hot wire.

Cam and lever action closes Jaws easily and locks positively when closed. Readily released with one hand even with heavy gloves.

Design of the openings is such that maximum strength of the joint is secured. Tests indicate that joints made with No. 750 Sleeve Wrench give nearer 100 per cent of the theoretical strength of the sleeve than with any other method.



Sleeve can be twisted six full turns without cracking or injury.
Can be carried in loop on tool belt.
For use with single and double tube sleeves.
Order in pairs (see cuts at right).

SPECIFICATIONS

Finish—Metal parts are *cadmium plated.* Hickory handle impregnated with linseed oil.
Material—Jaws and cam lever are heat treated, forged steel.
Length—Over all 20 inches.
Handles—Handles 20 inches long are standard.
Weight—5 pounds 3 oz. a pair, boxed.
Packed—Two in a box.

CAPACITY —

Any sleeve, Copper or Aluminum, up to and including No. 3/0 Solid Copper, No. 2/0 Stranded Copper or No. 1/0 ACSR. Two, three or four openings can be put in one wrench depending on the size of the openings. If two larger sized openings are used it is possible to get in only one of the smaller sizes.
Items below carried in stock.

750- —1-0 Sol. 2 Sol. 4 Sol. 6 Sol.
750- 1—2 ACSR 2 Sol. 4 Sol. 6 Sol.
750- 5—1-0 ACSR 2 ACSR 4 ACSR
750- 7—1-0 Str. 1 Str. 2 Str. 4 Str.
750- 8—2-0 Str. 1-0 Str. 2 Str.
750-10—1-0 Str. 2 Sol. 4 Sol. 6 Sol.
750-15—1-0 Str. 2 Str. 4 Str. 6 Str.
750-98—2 ACSR 4 ACSR 4 Sol. 6 Sol.

Other combinations of openings are made to order. Delivery about 30 days. Write for information.

INSURE 90-98% PERFECT JOINTS



SLIDING HANDLE CLEARS TACKLE. NO UNCLAMPING

HANGS SECURELY IN BELT



READILY RELEASED WITH ONE HAND

SIX FULL TURNS WITHOUT DAMAGE TO SLEEVE

CRESCENT TOOLS Give Wings to Work®

MISCELLANEOUS ITEMS

CRESTOLOY KIT



Red plastic folding case with one each AC16, AC18 and AC110 wrenches in separate pockets. Snap fastener. Size, closed, 11 x 3¾ inches. Kit strongly stitched and edges bound. A neat, compact kit for mechanic, motorist, farmer, etc.

Packed—One in a box. *Shipping weight*—26 oz.

TK31 TOOL KIT



Plenty of prospects for this handy kit. Useful alike to the home owner, housewife, handy man, boat owner or motorist as well as professional mechanics in many fields.

Case of red vinylite with transparent pockets of the same material. Snap fastener holds the case closed when not in use. Kit is strongly stitched and bound with leatherette. Tools included are:

L26 — 6" Thin Nose Slip Joint Plier
AC18 — 8" Crestoloy Wrench
K1304 — 4" Tenite Handle Screwdriver

Packed—One in a box. *Weight*—1 lb. 7 oz.

TK32 TOOL KIT

This kit features the famous "CRESTOGRIP" Utility Plier and makes the set one of the most versatile on the market.

Unsurpassed as a gift item. Using only the tools in this kit, most emergency repair jobs can be done quickly and efficiently.

Case of red vinylite with transparent pockets of the same material. Snap fastener.

Kit contains one each:

P210 — 10" CRESTOGRIP Plier
AC18 — 8" CRESTOLOY Wrench
K1304 — 4" Tenite Handle Screwdriver

Packed—One in a box. *Shipping weight*—2 lbs.

Tool kits of Open End, Box and Combination Wrenches will be found on pages seven and eight.

Socket Wrench Sets in ¼", ⅜", ½" and ¾" Square Drive sizes on pages ten to eighteen.

Your "Fingers of Steel"®

This expression, one of Crescent's registered trade marks aptly applies to the tools made by Crescent Tool Company for more than fifty years. Every item is designed so as to be as light as possible, consistent with the strength required for it to do its particular job. Every tool engineered to fit the hand of the user comfortably so as to lessen fatigue. Accuracy maintained throughout construction to insure smoothly working parts, keen cutting edges on cutting tools, exact parallelling of wrench jaws, sharp gripping teeth in those tools designed for gripping and attractive finishes.

And under everything, special analysis tool steel of special grades to give long, useful service to every Crescent Tool user.

CRESCENT TOOLS Give Wings to Work ®

THE CRESCENT DISPLAY STORY

FAST SELLING ITEMS. There isn't a tool on any of these Crescent Displays that our sales records have not shown to be a good seller.

CONVENIENCE. After you look over the Crescent Displays shown on the next pages you will discover how easy it is to use them, how versatile they are in their ability to be used in different ways. On the wall, on perforated board, on the counter, on display tables, in windows, on the various fixtures available from us, on dealer's own fixtures.

THEY'LL SELL TOOLS. The bright colors of the panels, plus the attractive finishes of the tools cannot help but attract attention. Prospective buyers can readily see and handle items in which they are interested.

WIDE SELECTION. The Crescent Display Program is not a "take it or leave it" proposition. It is big enough so that there are displays that will appeal to the small dealer and the large one, as well as any size store in between.

MINIMUM OF INVESTMENT. Every panel in the whole series comes to the dealer for only the cost of the tools that are mounted on it. The various fixtures on which the panels can be mounted are priced far below their actual cost.

SPECIAL DISPLAYS. Here and there will be found circumstances where a display of a special nature is needed. For such situations, Crescent will make up a special panel or panels to suit the particular conditions involved.

The following pages tell the story — the Crescent Display Story — that has already resulted in increased tool sales for those dealers who have availed themselves of the opportunity to put some of these displays to work in their stores.

POINT OF PURCHASE

THESE COLORFUL DISPLAYS—all bright yellow, with maroon trim—are made up with several different assortments of CRESCENT and CRESTOLOY TOOLS. The layout pattern for each display is silk screened right on the panel, with tool numbers and spaces in which to mark retail prices. Special hooks for some items, and newly developed mounting fixtures for others make set-up easy. Any of these displays may be mounted on the wall or on special fixtures which are available at small cost.

Display your CRESCENT TOOLS. They'll please your customers—and the increased sales will please you.

DISPLAYS to encourage "Impulse Buying"



No. DB 121
CRESCENT WRENCH DISPLAY

The CRESCENT WRENCH—famed all over the world and requested by name everywhere. Increased sales result wherever this panel is displayed. Finished in bright yellow with maroon trim. Tools mounted on hooks. Spaces provided for price marking. Panel size 12" x 24" x ¾".

Assortment contains:

3	AT14—4"	6	AT110—10"
6	AT16—6"	3	AT112—12"
6	AT18—8"		

Panel and tools sold at cost of tools only. Packed as a unit in a sturdy carton, weight 27 lbs.



No. DB 122
CRESTOLOY WRENCH DISPLAY

Show these—the fastest selling items in the CRESTOLOY WRENCH line. Wrenches mounted on hooks on a 12" x 24" x ¾" plywood panel. Bright yellow with maroon trim not only attracts attention, but displays the tools to best advantage.

Assortment contains:

3	AC14—4"	6	AC110—10"
6	AC16—6"	3	AC112—12"
6	AC18—8"		

Complete assortment and panel packed in sturdy shipping carton and sold at the cost of the tools alone. Shipping weight 22 lbs.

No. DB 123
CRESCENT AND CRESTOLOY WRENCH DISPLAY

Made up with the requirements of the average hardware store in mind, this panel displays both CRESCENT and CRESTOLOY Wrenches. Fastest selling sizes in both lines are included. Bright yellow with maroon trim. Wrenches mounted on hooks and space for pricing provided.

Panel size 12" x 24" x ¾".

Assortment contains:

CRESCENT		CRESTOLOY	
2	AT14—4"	2	AC14—4"
3	AT16—6"	3	AC16—6"
3	AT18—8"	3	AC18—8"
3	AT110—10"	3	AC110—10"
2	AT112—12"	2	AC112—12"

Sold at the cost of the tools alone. Packed as a complete unit in carton, weight 26½ lbs.

GOOD LOOKING— *and* PACKED WITH SELLING PUNCH

CRESCENT TOOLS Give Wings to Work ®



No. DB 124

SLIP JOINT PLIER DISPLAY

A must in every hardware store. CRESCENT'S fastest selling Slip Joints, including the popular CeeTeeCo in all sizes. Pliers mounted on special fixtures just developed (patent applied for) by Crescent Tool Co. Mounting instructions included in carton. Sold at the cost of the tools alone.

Assortment contains:

3 H25—5″ CeeTeeCo
6 H26—6″ CeeTeeCo
3 H28—8″ CeeTeeCo
3 H210—10″ CeeTeeCo
3 L25—5″ Thin Nose
6 L26—6″ Thin Nose

Panel and tools packed in a sturdy carton, shipping weight 19½ lbs.
Panel size 12″ x 24″ x ¾″.



No. DB127

DISPLAY OF CRESCENT SNIPS

Assortment contains:

2 S47 — 7″ Standard Style
2 S410—10″ Standard Style
2 S412—12″ Standard Style
2 T47 — 7″ Circular Cutting
2 T412—12″ Circular Cutting

Display and above tools in carton weigh 18 lbs.



No. DB 125

FIXED JOINT PLIER DISPLAY

Assortment contains:

DIAGONALS—
3 542—7″ 1 942—5″ 2 942—6″

LINEMEN'S PLIERS—
1 50 —6″ 1 1950—7″
1 1950—6″ 1 50 —8″
1 50 —7″ 1 1950—8″

MISCELLANEOUS—
2 654 —6″ 1 654 —7″
2 777 —6″ 1 777 —7″
2 1033—6″ 1 1033—7″
1 72 —6″ 2 72 —7″

Packed in carton, weight 19 lbs.

No. DB128

DISPLAY OF SCREWDRIVERS

Crescent's new Tenite handled screwdrivers on a 12″ x 24″ panel that sells them.

Assortment contains:

3 K1303 —3″ Standard
3 K1304 —4″ Standard
3 K1306 —6″ Standard
3 K1604 —4″ Square Rod
3 K1701 —No. 1 Phillips
3 K1702 —No. 2 Phillips
3 K1503 —3″ Cabinet
3 K1504 —4″ Cabinet
3 K1506 —6″ Cabinet
3 K1102S—Standard Stubby
3 K1702S—Phillips Stubby

Display and tools in shipping carton, wt. 14 lb.



No. DB 126

MISCELLANEOUS PLIER DISPLAY

Assortment contains:

1 50 —6″ 1 50 —7″ 1 50 —8″
1 622 —5″ 1 21 —6″ 1 20 —5″
1 942 —6″ 1 777 —6″ 1 654 —6″
2 542 —7″ 1 72 —7″ 1 23 —7″
1 1033—6″ 1 22 —5″ 2 G28 —8″
1 G25 —5″ 1 D27 —7″ 1 LS26—6″
1 J26 —6″ 3 G26—6″

Tools and panel packed as a unit in sturdy carton. Shipping weight 18 lbs.



No. DB129

PUNCH AND CHISEL DISPLAY

Assortment contains:

PUNCHES

2 #95 —3/16″ 2 #488—1/8″
2 #95 —1/4″ 2 #488—3/16″
2 #486—5/16″ 2 #489—3/16″
2 #486—3/8″ 2 #489—1/4″
2 #487—5/16″ 2 #490—3/16″
2 #487—3/8″ 2 #490—1/4″

CHISELS

2 #160—1/2″ 2 #165—1/4″
2 #160—5/8″ 2 #165—3/8″
2 #160—3/4″ 2 #175—3/4″
2 #164—1/4″ 2 #175—1″
2 #164—3/8″ 2 #175—1 1/4″

One in a carton. Weight 28 lbs.

CRESCENT TOOLS
Give Wings to Work ®



No. DB1210

DISPLAY OF CRESCENT HACKSAWS

This panel features the two most popular pistol grip Hacksaw Frames in the Crescent line. Sturdy, well balanced tools that will give a lifetime of service.

Assortment contains:

3 1047 Adjustable all steel Hacksaws
3 1049 Neoprene handled Hacksaws

Display and above tools in carton, shipping weight, 18 pounds.



No. DB1211

DISPLAY OF COMPOUND ACTION SNIPS

One of the newest additions to the Crescent line, these snips lend themselves nicely to display arrangement as shown. You can learn all the particulars about them on page twenty-nine.

The panel is 12″ x 24″ x ¾″, colored yellow with maroon trim and contains:

2 V19L 1 V19L with grips
2 V19R 1 V19R with grips
2 V19S 1 V19S with grips

Panel and tools packed as a unit in shipping carton, weight 15 pounds.



DB 1212

OPEN END WRENCHES

A 12″ x 24″ x ¾″ panel. Yellow with maroon trim. The wrenches listed below are mounted on hooks.

4 No. C1020 —1/4″ —5/16″
4 No. C1721 —5/16″ —3/8″
4 No. C1723 —3/8″ —7/16″
4 No. C1725 —7/16″ —1/2″
4 No. C1725-B —1/2″ —9/16″
3 No. C1727 —9/16″ —5/8″
3 No. C1729 —5/8″ —3/4″
3 No. C1731-A —3/4″ —7/8″
3 No. C1731-B —13/16″—7/8″
2 No. C1033-C —15/16″—1″
2 No. C1034 —7/8″ —1-1/16″

Packed complete in carton.
Shipping weight 18 lbs.



DB 1213

COMBINATION WRENCHES

Also yellow and maroon to match the others. 12″ x 24″ x ¾″. Wrenches as listed below are mounted on hooks.

3 C1160 — 3/8″ Cap.
3 C1161 — 7/16″ Cap.
3 C1162 — 1/2″ Cap.
3 C1163 — 9/16″ Cap.
3 C1164 — 5/8″ Cap.
3 C1165 —11/16″ Cap.
3 C1166 — 3/4″ Cap.
3 C1167-A —13/16″ Cap.
2 C1167 — 7/8″ Cap.
2 C1168 —15/16″ Cap.
2 C1170 —1″ Cap.
2 C1171 —1-1/16″ Cap.

Shipping weight 23 lbs.



DB 1214

12 PT. BOX WRENCHES

Any of these panels can be mounted on a CD counter display fixture or FS floor display stand. Wrenches as listed, on hooks.

6 C8723 —3/8″ — 7/16″
6 C8725 —7/16″ — 1/2″
6 C8725-B —1/2″ — 9/16″
3 C8727 —9/16″ — 5/8″
3 C8729 —5/8″ — 3/4″
2 C8731-A —3/4″ — 7/8″
2 C8731-B —13/16″— 7/8″
2 C8033-C —15/16″—1″
2 C8034 —7/8″ —1-1/16″

Packed complete in carton.
Shipping weight 21 lbs.



DB 1215

MISCELLANEOUS WRENCHES

This panel matches the others and contains the fastest sellers of all three types. Mounted on hooks as follows:

3 C1723 3/8″ —7/16″ open end
3 C1725-B 1/2″ —9/16″ open end
3 C1729 5/8″ —3/4″ open end
3 C1731-B 13/16″—7/8″ open end
3 C1033-C 15/16″—1″ open end
3 C1161 7/16″ combination
3 C1162 1/2″ combination
3 C1163 9/16″ combination
3 C1164 5/8″ combination
3 C1165 11/16″ combination
3 C1166 3/4″ combination
3 C1167-A 13/16″ combination
3 C8723 3/8″—7/16″ 12 pt. box
3 C8725-B 1/2″—9/16″ 12 pt. box
3 C8729 5/8″—3/4″ 12 pt. box

Shipping weight 22 lbs.

There is no tool on any CRESCENT Display that has not proven itself to be a fast selling item according to sales records.

CRESCENT TOOLS
Give Wings to Work ®

CRESCENT DISPLAYS — *The most versatile displays available*



No. DB1216

½" DRIVE SOCKET WRENCH DISPLAY

12 POINT (DOUBLE HEX) SOCKETS:

2	CS1212—3/8"	4	CS1224—¾"
2	CS1214—7/16"	2	CS1226—13/16"
4	CS1216—½"	2	CS1228—⅞"
4	CS1218—9/16"	2	CS1230—15/16"
2	CS1219—19/32"	2	CS1232—1"
2	CS1220—⅝"	2	CS1234—1-1/16"
2	CS1222—11/16"	1	CS1236—1⅛"
		1	CS1240—1¼"

8 POINT (DOUBLE SQUARE) SOCKETS:

2	CS814 —7/16"	2	CS820 —⅝"
2	CS816 —½"	2	CS824 —¾"
2	CS818 —9/16"		

ATTACHMENTS:

1 CS11—Universal Joint
1 CS12—5" Extension
1 CS13—10" Extension
1 CS14—Slide T Handle
1 CS16—16" Speeder Handle
1 CS18—Flex Head Handle
1 CS70—10¼" Reversible Ratchet

Packed complete, panel and tools in a shipping carton, weight 22¾ lbs.



No. DB1217

⅜" DRIVE SOCKET WRENCH DISPLAY

This display contains the following:

3	CT1212	3/8"	12 Point Regular Sockets
3	CT1214	7/16"	12 Point Regular Sockets
3	CT1216	½"	12 Point Regular Sockets
3	CT1218	9/16"	12 Point Regular Sockets
3	CT1220	⅝"	12 Point Regular Sockets
3	CT1222	11/16"	12 Point Regular Sockets
3	CT1224	¾"	12 Point Regular Sockets
1	CTF1212	3/8"	12 Point Flex Socket
1	CTF1214	7/16"	12 Point Flex Socket
1	CTF1216	½"	12 Point Flex Socket
1	CTF1218	9/16"	12 Point Flex Socket
1	CTF1220	⅝"	12 Point Flex Socket
1	CTF1222	11/16"	12 Point Flex Socket
1	CTF1224	¾"	12 Point Flex Socket
1	CTD1212	3/8"	12 Point Deep Socket
1	CTD1214	7/16"	12 Point Deep Socket
1	CTD1216	½"	12 Point Deep Socket
1	CTD1218	9/16"	12 Point Deep Socket
1	CTD1220	⅝"	12 Point Deep Socket
1	CTD1222	11/16"	12 Point Deep Socket
1	CTD1224	¾"	12 Point Deep Socket
1	CTD1226	13/16"	12 Point Deep Socket

1 CT11 Universal Joint for 3/8" Square Drive
1 CT12 5" Extension for 3/8" Square Drive
1 CT13 12" Extension for 3/8" Square Drive
1 CT15 Speeder Handle for 3/8" Square Drive
1 CT17 Flex Handle for 3/8" Square Drive
1 CT22 3" Extension for 3/8" Square Drive
1 CT70 Reversible Ratchet for 3/8" Square Drive

Shipping weight 14¾ lbs.



No. DB1218

HEAVY DUTY PLIER DISPLAY

This display includes those items that are especially useful in rural areas—where there are wire fences to maintain, and a lot of heavy work to be done.

The new "Crestogrip" Utility Plier number P210 is at the top. It has many practical uses because of its strong grip (like that of a pipe wrench) and its new type box joint.

Contents of display:

3 P210—10" Utility Pliers
3 1936—10" Fence Tools
2 282—10" Carpenters' Pincers
2 1000—10" Cutting and Gripping Pliers
2 1907—10" Fence Tools

Shipping weight 24 pounds.



No. DB1219

¾" DRIVE SOCKET WRENCH DISPLAY

These ¾" Square Drive items in the Crescent Line have all the rugged, husky strength needed to do repair and maintenance work on heavy equipment such as trucks, buses, road building and earth moving machinery.

The DB1219 Display contains one each of the following:

CH11—Slide T Handle
CH12— 8" Extension
CH13—16" Extension
CH18—21" Flex Handle
CH70—Reversible Ratchet

CH1240—1¼"	12 Point Socket
CH1242—1-5/16"	12 Point Socket
CH1244—1⅜"	12 Point Socket
CH1246—1-7/16"	12 Point Socket
CH1248—1½"	12 Point Socket
CH1250—1-9/16"	12 Point Socket
CH1252—1⅝"	12 Point Socket
CH1254—1-11/16"	12 Point Socket
CH1256—1¾"	12 Point Socket
CH1258—1-13/16"	12 Point Socket
CH1260—1⅞"	12 Point Socket
CH1264—2"	12 Point Socket

Packed complete, tools and panel in shipping carton, weight 34½ pounds.

No. DB1220

UTILITY SLIP JOINT PLIER DISPLAY

This display features the Crescent P210 "Crestogrip" Utility Plier, with its specially designed four position sliding box joint and its exceptional grip, like that of a pipe wrench.

This panel, of course matches all the others in the DB1200 series and can be used on the CD counter display and FS floor display units.

Contents:

3 P210 "Crestogrip" Utility Pliers
3 H25 5" CeeTeeCo Slip Joint Pliers
3 H26 6" CeeTeeCo Slip Joint Pliers
3 H28 8" CeeTeeCo Slip Joint Pliers
3 H210 10" CeeTeeCo Slip Joint Pliers
3 L25 5" Thin Nose Slip Joint Pliers
3 L26 6" Thin Nose Slip Joint Pliers

Packed complete, pliers and panel in shipping carton, weight 19 lbs.



CRESCENT TOOLS
Give Wings to Work ®

No. DB1221

HEAVY DUTY PIPE WRENCH DISPLAY

Crescent's Heavy Duty Pipe Wrenches are the strongest tools of their type available. This display shows the most popular sizes, as follows:

2 WH48 — 8″—1⅛″ to 1″ Capacity
2 WH410—10″—1⅛″ to 1½″ Capacity
2 WH412—12″—1⅛″ to 2″ Capacity
2 WH414—14″—¼″ to 2″ Capacity
1 WH418—18″—¼″ to 2½″ Capacity

Shipping weight, 34 lbs.



No. DB1222

STILLSON WRENCH DISPLAY

This 12″ x 24″ x ¾″ panel has the following Crescent Normal Duty, Stillson Pattern Wrenches mounted on hooks:

2 WS16 — 6″—1⅛″ to ½″ Capacity
2 WS18 — 8″—1⅛″ to ¾″ Capacity
2 WS110—10″—1⅛″ to 1″ Capacity
2 WS114—14″—¼″ to 1½″ Capacity
1 WS118—18″—¼″ to 2″ Capacity

Shipping weight, 24 lbs.

No. DB1223

½″ DRIVE SOCKET DISPLAY

This display includes Crescent 12 point Deep Sockets, as well as regular 12 pt. sockets and the most popular drives and attachments. All items mounted on hooks.

Packed complete with tools in a carton.

Shipping weight, 24 lbs.

CONTENTS—DB1223

All items mounted as shown at left.

12 POINT REGULAR SOCKETS	12 POINT DEEP SOCKETS
2 CS1212—⅜″	1 CSD1216—½″
2 CS1214—7/16″	1 CSD1218—9/16″
2 CS1216—½″	1 CSD1220—⅝″
2 CS1218—9/16″	1 CSD1222—11/16″
2 CS1219—19/32″	1 CSD1224—¾″
2 CS1220—⅝″	1 CSD1226—13/16″
2 CS1222—11/16″	1 CSD1228—⅞″
2 CS1224—¾″	1 CSD1230—15/16″
2 CS1226—13/16″	1 CSD1232—1″
2 CS1228—⅞″	1 CSD1236—1⅛″
2 CS1230—15/16″	
2 CS1232—1″	
2 CS1234—1-1/16″	
2 CS1236—1⅛″	
2 CS1240—1¼″	

DRIVES and ATTACHMENTS

1 CS11—Universal Joint
1 CS12— 8″ Extension
1 CS13—10″ Extension
1 CS14—Slide Tee
1 CS16—Speeder
1 CS18—Flex Handle
1 CS70—Reversible Ratchet

MOUNTING FIXTURES—COUNTER TYPE

FIXTURE No. CD1

This fixture is designed to handle any four of the 12″ x 24″ merchandising displays shown in this catalog. It may be used on counter or display table, and in either place, it provides a square foot of constant selling that means real profit to any dealer.

Made of plywood, finished maroon. Mounted on ball bearing so it revolves freely, enabling shoppers to view all four sides. Base is 12″ in diameter and upper part revolves around a pipe which is firmly attached to the base.

Placed properly in a store, this unit can give more turnover, more profit than any other square foot of space in the building. Available with any four 12″ x 24″ CRESCENT displays at slight extra charge.

Packed in carton, shipping weight 15 lbs.

COUNTER DISPLAY No. CD2

CD2—a counter display with revolving top which will take any six of the twenty-two 12″ x 24″ displays shown on preceding pages. Ball bearing under top makes it turn easily so that all sides can be displayed with equal ease.

Heavy plywood construction, painted to match other items. One panel may be hinged to allow stock to be placed inside. This unit, too is available at a slight extra charge and will prove itself to be a very valuable addition to any hardware store's tool department.

Weight without displays, 19 pounds. Shipped in two parts, complete with assembly instructions.

CRESCENT TOOLS
Give Wings to Work ®

MOUNTING FIXTURES – FLOOR TYPE



FS2—a floor standard with revolving top which will take any six of the twenty-two 12″ x 24″ displays shown on preceding pages. Ball bearing under top makes it turn easily so that all sides can be displayed with equal ease. Weight without displays, 90 pounds. Shipped in two parts.

ADDED FEATURE

If wanted, any of the individual panels can be supplied with hinges and knob. This provides storage space inside the display unit on either FS2, FS3, or FS4. No extra charge but it is necessary to specify on the order that hinges are required and on which panel they are to be attached.

FS3—also revolves on a ball bearing so that all panels can be easily viewed by shoppers.

This stand will hold any twelve of the twenty-two available 12″ x 24″ panels shown on the preceding pages. The complete unit occupies only 26 square inches of floor space, making it one of the most compact methods of displaying tools that it is possible to obtain.

Shipped in two parts; one crate and one carton. Shipping weight 79 pounds.

The item "Added Feature" explained at left, can also be applied to FS3 and FS4 on either top, bottom or both tiers.

FS4—For a really complete mechanics hand tool department, a dealer may select any sixteen of the 12″ x 24″ Crescent Displays and mount them on the FS4 stand. By hinging a panel on each tier ample storage space is available inside.

Shipped in two parts—weight 85 lbs.

CONVERSION UNITS

are available for dealers who have a smaller unit and want to change it for a larger one. Order FS2 to FS3; FS2 to FS4; FS3 to FS4 conversion kits.

CRESCENT TOOLS *Give Wings to Work* ®

EASELS FOR DISPLAYS

These easels enable dealers to use their Crescent Displays in additional places. (Will fit either 12″ x 24″ or 24″ x 24″ size). On a counter, in the window, on display tables . . . anywhere there is a space six by twelve inches in size. They are made for handling the displays either singly or doubly, as shown.

These new mounts are supplied to dealers at no charge, and may be ordered from the factory. Twenty three 12″ x 24″ Crescent Displays are now available, offering a complete line of fast selling tools that repay over and over again, the value of the space they occupy. There are no slow moving items on Crescent Displays.

SINGLE AND DOUBLE EASELS FOR CRESCENT DISPLAY BOARDS



Single Mounts are rabbeted to support board at a slight angle to compensate for weight of tools.



Double Mounts admit two boards and support them vertically, back to back. Attaching screws are supplied with Mounts.

FLOOR DISPLAY FS1

Shipping weight of FS1 only— no panels or tools, 75 pounds.

This revolving floor stand will accommodate any six of the nine 24″ x 24″ panels as listed below. All are yellow with maroon trim like the DB243 illustrated here.

Tools on each display listed below:

DB241

4	AT14	8	AT110
6	AT16	4	AT112
8	AT18	1	AT115

Shipping weight, 41 lbs.

DB242

4	AC14	4	AC112
6	AC16	1	AC115
8	AC18	2	BC146
8	AC110	2	BC168

Shipping weight, 42 lbs.

DB243

3	AC14	4″ Crestoloy
3	AC16	6″ Crestoloy
3	AC18	8″ Crestoloy
3	AC110	10″ Crestoloy
3	AC112	12″ Crestoloy
2	AC115	15″ Crestoloy
2	BC146	4-6″ Dble. End
2	BC168	6-8″ Dble. End
3	AT14	4″ Crescent
3	AT16	6″ Crescent
3	AT18	8″ Crescent
3	AT110	10″ Crescent
3	AT112	12″ Crescent

Shipping weight, 46 lbs.

DB246

3	LS26	6″	1	942	5″	1	1950	6″
3	H25	5″	2	942	6″	1	1950	7″
3	H26	6″	2	654	6″	1	1950	8″
3	H28	8″	1	654	7″	1	72	6″
3	H210	10″	2	777	6″	2	72	7″
3	L25	5″	1	777	7″	2	1033	6″
3	L26	6″	1	50	6″	1	1033	7″
3	542	7″	1	50	7″	3	G26	6″
			1	50	8″			

Shipping weight, 38 lbs.

DB247

3	S47	7″ Std.	3 T47 7″ Circular
3	S49	9″ Std.	2 T412 12″ Circular
3	S410	10″ Std.	2 U412 12″ Combination
3	S411	11″ Std.	2 U416 16″ Heavy
3	S412	12″ Std.	Duty "Bull Dog"

Shipping weight, 45 lbs.

DB248

3	K1102S	Stubby
3	K1702S	Phillips Stubby
3	K1303	3″ Standard
6	K1304	4″ Standard
3	K1306	6″ Standard
3	K1308	8″ Standard
3	K1310	10″ Standard
3	K1503	3″ Electrician's
3	K1504	4″ Electrician's
3	K1506	6″ Electrician's
3	K1508	8″ Electrician's
3	K1701	No. 1 Phillips
3	K1702	No. 2 Phillips
3	K1604	4″ Square Rod
3	K1606	6″ Square Rod

Shipping weight, 28 lbs.

DB249

CHISELS

2	175	3/4″	2	160	5/8″	2	167	1/2″
2	175	1″	2	160	3/4″	2	166	1/4″
2	175	1 1/4″	2	160	7/8″	2	166	5/16″
2	160	1/4″	2	160	1″	2	166	3/8″
2	160	3/8″	2	167	1/4″	2	165	1/4″
2	160	1/2″	2	167	3/8″			

2	165	5/16″	2	165	3/8″	2	164	1/4″
2	164	5/16″	2	164	3/8″			

STAR DRILLS

2	161	1/4″ x 12″	2	161	3/8″ x 12″	2	161	1/2″ x 12″
2	161	5/8″ x 12″	2	161	3/4″ x 12″			

PUNCHES

2	487	5/16″	2	490	1/8″	2	489	1/4″
2	487	3/8″	2	490	3/16″	2	488	1/8″
2	95	3/16″	2	490	1/4″	2	488	5/32″
2	95	1/4″	2	489	1/8″	2	488	3/16″
2	95	3/8″	2	489	3/16″	2	488	1/4″

2	486	1/4″
2	486	5/16″
2	486	3/8″
2	486	1/2″

Shipping weight, 57 lbs.

DB2410

3	1046	Adjustable-Steel Handle
3	1047	Adjustable-Steel Handle
3	1049	Adjustable-Neoprene Handle
3	1044N	12″ Solid-Neoprene Handle

Shipping weight, 35 lbs.

DB2411

2	V19L	2	S47
2	V19R	2	S410
2	V19S	2	S411
1	V19L with grips	2	S412
1	V19R with grips	2	T47
1	V19S with grips	2	T412
		2	U412

Shipping weight, 39 lbs.

DB243

CRESCENT TOOLS Give Wings to Work®

SPECIAL CRESCENT DISPLAYS FOR PEGBOARD

Listings below show the contents of each individual display unit. Using these compact units, a complete tool department can be included in only 25 square feet. Ideal for self-service stores, as hooks are long enough to provide additional mounting space for larger stocks.

PB121 — CRESCENT "AT" WRENCHES

2 AT14—4"
2 AT16—6" 3 AT110—10"
3 AT18—8" 2 AT112—12"

Space occupied, .94 sq. ft.
Packed one unit in carton.
Shipping weight, 8¾ lbs.

PB122 — CRESTOLOY "AC" WRENCHES

2 AC14—4"
2 AC16—6" 3 AC110—10"
3 AC18—8" 2 AC112—12"

Space occupied, .94 sq. ft.
Packed one unit in carton.
Shipping weight, 8¾ lbs.

PB123 — "AT" AND "AC" WRENCHES

This unit combines the items in PB121 and PB122 in less space than the two would use individually.

2 AC14—4" 2 AT14—4"
2 AC16—6" 2 AT16—6"
3 AC18—8" 3 AT18—8"
3 AC110—10" 3 AT110—10"
2 AC112—12" 2 AT112—12"

Space occupied, 1.4 sq. ft.
Packed one unit in carton.
Shipping weight, 17 lbs.

PB124 — SLIP JOINT PLIERS

3 H25—5" 3 G26—6"
6 H26—6" 3 L26—6"
3 H28—8" 3 P210—10"

Space occupied, 1.6 sq. ft.
Packed one unit in carton.
Shipping weight, 11¾ lbs.

PB125 — FIXED JOINT PLIERS

1 50—6" 1 777—7"
1 50—7" 1 888—6"
1 50—8" 1 942—5"
1 72—6" 2 942—6"
2 72—7" 2 1033—6"
3 542—7" 1 1033—7"
2 654—6" 1 1950—6"
1 654—7" 1 1950—7"
1 777—6" 1 2150—8"

Space occupied, 1.65 sq. ft.
Packed one unit in carton.
Shipping weight, 14½ lbs.

PB127 — TINNERS SNIPS

2 S47—7"
2 S410—10" 2 T47—7"
2 S412—12" 2 T412—12"

Space occupied, 1.65 sq. ft.
Packed one unit in carton.
Shipping weight, 15 lbs.

PB128 — TENITE HANDLE SCREWDRIVERS

2 74 Scratch Awls
2 K1102S Stubby
2 K1702S Phillips Stubby
3 K1303 Standard

Cont. next column

3 K1304 Standard
3 K1306 Standard
3 K1503 Cab., Elect.
3 K1504 Cab., Elect.
3 K1506 Cab., Elect.
3 K1604 Square Rod
3 K1701 #1 Phillips
3 K1702 #2 Phillips

Space occupied, 1.5 sq. ft.
Packed one unit in carton.
Shipping weight, 12½ lbs.

PB129C — ASSORTED CHISELS

3 175— ¾" Wood
3 175— 1" Wood
3 175—1¼" Wood
3 160— ½" Cold
3 160— ⅝" Cold
3 160— ¾" Cold
3 164— ¼" Diam. Pt.
3 164— ⅜" Diam. Pt.
3 165— ¼" Cape
3 165— ⅜" Cape

Space occupied, .7 sq. ft.
Packed one unit in carton.
Shipping weight, 18½ lbs.

PB129P — ASSORTED PUNCHES

3 486—5/16" Center
3 486—⅜" Center
3 487—5/16" Prick
3 487—⅜" Prick
3 488—⅛" Pin
3 488—3/16" Pin
3 489—3/16" Taper
3 489—¼" Taper
3 490—3/16" Pin
3 490—¼" Pin
3 95 —3/16" Line Up
3 95 —¼" Line Up

Space occupied, .7 sq. ft.
Packed one unit in carton.
Shipping weight, 12¾ lbs.

PB1211 — AVIATION SNIPS

2 V19L 1 V19L-G
2 V19S 1 V19S-G
2 V19R 1 V19R-G

Space occupied, 1.6 sq. ft.
Packed one unit in carton.
Shipping weight, 10¾ lbs.

PB1212 — OPEN END WRENCHES

2 C1020 — ¼" x 5/16"
2 C1721 — 5/16" x ⅜"
3 C1723 — ⅜" x 7/16"
3 C1725 — 7/16" x ½"
3 C1725B — ½" x 9/16"
3 C1727 — 9/16" x ⅝"
3 C1729 — ⅝" x ¾"
2 C1731B — 13/16" x ⅞"
2 C1033C — 15/16" x 1"

Space occupied, .94 sq. ft.
Packed one unit in carton.
Shipping weight, 6½ lbs.

PB1213A — COMBINATION WRENCHES

3 C1161— 7/16"
3 C1162— ½"
3 C1163— 9/16"
3 C1164— ⅝"
3 C1165— 11/16"

Space occupied, .75 sq. ft.
Packed one unit in carton.
Shipping weight, 3¾ lbs.

PB1213B — COMBINATION WRENCHES

3 C1166 — ¾"
3 C1167A — 13/16"
3 C1167 — ⅞"
2 C1168 — 15/16"
2 C1170 — 1"

Space occupied, 1 sq. ft.
Packed one unit in carton.
Shipping weight, 9¾ lbs.

PB1214 — BOX END WRENCHES

3 C8723 — ⅜" x 7/16"
3 C8725B — 7/16" x ½"
3 C8729 — ⅝" x ¾"
3 C8731B — 13/16" x ⅞"
3 C8033C — 15/16" x 1"

Space occupied, 1.2 sq. ft.
Packed one unit in carton.
Shipping weight, 10 lbs.

PB1216 — ½" SQUARE DRIVE SOCKETS, ETC.

12 Point Reg. Sockets

2 CS1212— ⅜"
2 CS1214— 7/16"
2 CS1216— ½"
2 CS1218— 9/16"
2 CS1219— 19/32"
2 CS1220— ⅝"
2 CS1222— 11/16"
2 CS1224— ¾"
2 CS1226— 13/16"
2 CS1228— ⅞"
2 CS1230— 15/16"
2 CS1232— 1"
2 CS1234—1 1/16"
2 CS1236—1⅛"
1 CS1238—1 3/16"
1 CS1240—1¼"

12 Point Deep Sockets

1 CSD1216— ½"
1 CSD1218— 9/16"
1 CSD1220— ⅝"
1 CSD1222— 11/16"
1 CSD1224— ¾"
1 CSD1226— 13/16"
1 CSD1228— ⅞"
1 CSD1230— 15/16"
1 CSD1232— 1"
1 CSD1236—1⅛"

Cont. next column

Drives, Attachments, Etc.

1 CS11 Universal Joint
1 CS12 5" Extension
1 CS13 10" Extension
1 CS16 Speeder Handle
1 CS18 T Flex Handle
1 CS70 Reversible Ratchet

Space occupied, 1.65 sq. ft.
Packed one unit in carton.
Shipping weight, 25¾ lbs.

PB1217 — ⅜" SQUARE DRIVE SOCKETS, ETC.

12 Pt. Regular — 12 Pt. Flex

2 CT1212 — ⅜" — 1 CTF1212
2 CT1214 — 7/16" — 1 CTF1214
2 CT1216 — ½" — 1 CTF1216
2 CT1218 — 9/16" — 1 CTF1218
2 CT1220 — ⅝" — 1 CTF1220
2 CT1222 — 11/16" — 1 CTF1222
2 CT1224 — ¾" — 1 CTF1224

12 Point Deep Sockets

1 CTD1212— ⅜"
1 CTD1214— 7/16"
1 CTD1216— ½"
1 CTD1218— 9/16"
1 CTD1220— ⅝"
1 CTD1222— 11/16"
1 CTD1224— ¾"
1 CTD1226— 13/16"

Handles, Attachments

1 CT11 Universal Joint
1 CT12 5" Extension
1 CT13 12" Extension
1 CT15 Speeder
1 CT17 T Flex Handle
1 CT22 3" Extension
1 CT70 Reversible Ratchet

Space occupied, 1.65 sq. ft.
Packed one unit in carton.
Shipping weight, 12¾ lbs.

PB1221 — HEAVY DUTY PIPE WRENCHES

2 WH48
2 WH410 2 WH414
2 WH412 1 WH418

Space occupied, 1.45 sq. ft.
Packed one unit in carton.
Shipping weight, 28½ lbs.

PB1222 — NORMAL DUTY (STILLSON) PIPE WRENCHES

2 WS16
2 WS18 2 WS114
2 WS110 1 WS118

Space occupied, 1.45 sq. ft.
Packed one unit in carton.
Shipping weight, 20½ lbs.

CRESCENT TOOLS *Give Wings to Work* ®

SPECIAL CRESCENT DISPLAYS FOR PEGBOARD*

nrha APPROVED DISPLAY

nrha APPROVED DISPLAY



COMPACT UNITS THAT WILL SELL TOOLS

These displays will fit any standard Pegboard* panel having quarter inch holes. They were designed primarily to occupy as little space as possible and still maintain a neat appearance that will attract prospective tool purchasers. The CRESCENT trade mark on each unit identifies the tools as being made by Crescent Tool Co., and therefore of the very highest quality. Every Crescent tool is fully guaranteed and is backed by the reputation for quality that Crescent has maintained for over fifty years.

These display fixtures are attached to pegboard by means of unique patented fasteners which hold firmly in place without the risk of breaking the pegboard. This is another feature of Crescent's attempt to always provide dealer satisfaction.

Each of the units shown above comes in its own individual carton, fixture and tools complete. Contents of each individual display listed on opposite page. The retail prices of each tool are printed on strips which are inserted in channels as shown. In the event of price changes, the factory will provide new strips on request.

Each unit is priced at the cost of the tools alone, no extra charge being made for the mounting fixture.

For those stores having wall space lined with pegboard, these CRESCENT display units provide a complete tool department in a small space. In the cut above, all eighteen units have been mounted in a space eight feet wide and four feet high, and without any particular crowding. The units can also be mounted easily on display islands which are built of pegboard.

*Pegboard is a registered trade mark of the Masonite Corp.

TOOL ROLLS, KITS, POUCHES



14 piece roll. Ample room for many tools of various sizes, up to 18" long. **No. TR14**

The man who values his tools always has a place in which to keep them.

These convenient rolls offer a practical means of storing tools not in use. Tools are kept clean, handy, easy to carry and are not easily lost.

Crescent Rolls, etc., are made of quality plastic materials with leatherette binding and sturdy tie tapes.

Several styles and sizes as shown below.



11 piece roll. Transparent pockets. Holds tools up to 13" long. **No. TR11**

5 piece roll — for extra long items up to 16". **No. TRL5**

6 piece roll — for extra long items up to 16". **No. TRL6**

5 pocket roll. Transparent pockets. Holds tools up to 8" long. **No. TR5**

6 pocket roll. Transparent pockets. Holds tools up to 8" long. **No. TR6**

Pouch with snap fastener. Holds tools 9" long. **No. TP1**

Pouch with snap fastener. Holds tools 11" long. **No. TP2**



3 pocket case, snap fastener. Holds tools up to 11" long. **No. TC3**

3 pocket case — transparent pockets. Snap fastener. Holds tools up to 10" long. **No. TCT3**

STURDY STEEL TOOL BOXES

Heavy gauge steel, piano hinges, sturdy handles, attractive finish are among the numerous features of these boxes.

Planned originally to carry Crescent Socket Sets, they have been found to have many other uses.

All but the very small ones can be locked with a padlock. The two larger sizes have removable trays.

Finish: Gray enamel, yellow inside trays on CS3 and CS4.

Packed: Each box in individual carton.

CS4 —
21″ x 8½″ x 9¾″
Drop front — removable tray.
Two carrying handles.
Shipping weight, 15 lbs.



CS3 —
21″ x 7″ x 8¼″
Removable tray. Two carrying handles.
Shipping weight, 11 lbs.

CS2 —
21″ x 7″ x 4⅛″
Two carrying handles.
Shipping weight, 6 lbs.

CS1 —
18⁹⁄₁₆″ x 5″ x 2½″
One carrying handle.
Hasp to lock.
Shipping weight, 3 lbs.

CT2 —
18⁹⁄₁₆″ x 5″ x 2½″
One handle. Clasp lock.
Shipping weight, 3 lbs.

CT1 — 9⅜″ x 3¼″ x 1⅝″
Clasp lock.
Shipping weight, 1¼ lbs.

CM1 — 6⅞″ x 3″ x 1¼″
Clasp lock.
Shipping weight, ½ lb.

CM2 — 7″ x 2″ x 1″
Snap lock.
Shipping weight, ½ lb.

CH2 —
21″ x 8½″ x 5½″
Two carrying handles.
Shipping weight, 8½ lbs.

CH1 —
21″ x 7″ x 4½″
Two carrying handles.
Shipping weight, 6¼ lbs.

CRESCENT TOOLS
Give Wings to Work®

INDEX

TOOLS BY NAME

	Page
Assortments, Display	48 to 56
Assortments, Repair Parts	5
Aviation Snips	31
Awls, Scratch	38
Bent Nose Pliers	23, 28
Blades, Hack Saw	34
Box Joint Pliers	22, 24, 25, 26, 27
Box Wrenches	6
Bulk CeeTeeCo Pliers	23
Cape Chisels	36
Carpenters' Pincers	26
CeeTeeCo Pliers	23
Center Punches	35
Chisels, Cape	36
Chisels, Cold	36
Chisels, Diamond Point	36
Chisels, Half Round Nose	36
Chisels, Round Nose	36
Chisels, Wood	36
Clamps, Haven's	40
Clamps, Splicing (Connectors)	43
Cold Chisels	36
Combination Wrenches	6
Connectors	43
Crescent Grips	40, 41, 42
Crescent Pliers	22 to 30
Crescent Screwdrivers	37, 38
Crescent Wrenches	3
Crestogrip Pliers	24
Crestoloy Kits	44
Crestoloy Pliers	22, 25 to 30
Crestoloy Wrenches	1
Diamond Point Chisels	36
Display Panels	48 to 54
Displays, Pegboard	55, 56
Double End Wrenches	1, 6
Drills, Star	36
Drivers, Screw	37, 38
Engineer's Wrenches	6
Fence Pliers	28, 29, 30
Frames, Hacksaw	33, 34
Grips, Crescent	40 to 44
Grips, Haven's	40
Grips, Wire	40 to 44
Hack Saw Blades	34
Hack Saw Frames	33, 34
Haven's Grips	40
Insulated Pliers	25, 26, 28, 29, 30
Kits, Tool	7, 8, 44
Linemen's Tools	24, 26, 30 37, 40, 41, 42, 43, 44, 45
Locking Wrenches	2
Long Nose Pliers	25, 26, 27, 29
MoToR KiT Pliers	23
Nail Pullers and Parts	39
Needle Nose Pliers	27
Nippers, End Cutting	26
Open End Wrenches	6
Panels, Display	48 to 53
Parts, Nail Puller	39
Parts, Hack Saw	34
Parts, Wrench	4, 5
Pegboard Displays	55, 56
Phillips Screwdrivers	37, 38
Pincers, Carpenters'	26
Pin Punches	35
Pipe Wrenches	19, 20
Plastic Cutting Pliers	28
Pliers, Bent Nose	23, 28
Pliers, Box Joint	22, 26, 27
Pliers, Chain Nose	22, 25, 27, 29
Pliers, "Color Keyed"	25, 28, 29
Pliers, Combination	23, 28
Pliers, Crestoloy	22, 25 to 30
Pliers, Curved Needle Nose	28
Pliers, Diagonal	22, 27, 28
Pliers, Duck Bill	25
Pliers, End Cutting	26
Pliers, Fence	28, 29, 30
Pliers, Flat Nose	25, 27
Pliers, Industrial	25, 28, 29
Pliers, Insulated	25, 26, 28, 29, 30
Pliers, Knitters	26, 27
Pliers, Linemen's	26, 30
Pliers, Long Nose	25, 26, 27, 28, 29
Pliers, Long Reach	29
Pliers, Milliners'	27
Pliers, Miniature	22
Pliers, Multiple Slide Joint	24
Pliers, Needle Nose	27
Pliers, Plastic Cutting	28
Pliers, Pump Action	24
Pliers, Radio	22 to 30
Pliers, Round Nose	25
Pliers, Side Cutting	22, 26, 27, 30
Pliers, Slip Joint	23
Pliers, Slip Joint, Side Cutting	23
Pliers, Utility	24
Pouches, Tool	7, 8, 57
Prick Punches	35
Pullers, Nail	39
Pullers, Staple	29, 30, 39
Punches, Center	35
Punches, Solid	35
Punches, Pin	35
Punches, Prick	35
Radio Pliers	22 to 30
Repair Parts — Wrenches	4
Repair Parts Assortments	5
Rolls, Tool	7, 8, 57
Scratch Awls	44
Screwdrivers	37, 38
Screwdrivers, Phillips	37
Screwdrivers, Stubby	37
Screwdrivers, Tenite Handle	37
Screwdrivers, Wood Handle	38
Sets, Socket Wrench	10 to 18
Sets, Open End Wrench	7, 8
Sets, Combination Wrench	7, 8
Sleeve Wrenches	45
Slip Joint Pliers	23
Snips, Aviation	31
Snips, Circular Cutting	31, 32
Snips, Combination	32
Snips, Tinners'	31, 32
Socket Wrenches	9 to 18
Socket Wrench Sets	10 to 18
Sockets, Deep	12, 14
Splicing Clamps, (Connectors)	43
Staple Pullers	29, 30, 39
Star Drills	36
Thin Bent Nose Pliers	23
Thin Straight Nose Pliers	28
Tinners' Snips	31, 32
Tool Boxes	18, 58
Tool Kits	7, 8, 44
Tool Pouches	7, 8, 57
Tool Rolls	7, 8, 57
Universal Pliers	23
Wire Grips	40 to 44
Wire Tools	40 to 45
Wood Chisels	36
Wrenches, Box	6
Wrenches, Adjustable	1, 2, 3
Wrenches, Combination	6
Wrenches, Crescent	3
Wrenches, Crestoloy	1, 2
Wrenches, Double End	1, 6
Wrenches, Engineers	6
Wrenches, Insulated	1
Wrenches, Locking	2
Wrenches, Open End	6
Wrenches, Pipe	19, 20
Wrenches, Sleeve	45
Wrenches, Socket	9 to 18
Wrenches, Splicing	43
Wrenches, Stillson	20

TOOLS BY NUMBER

Tool Number	Page Number	Tool Number	Page Number	Tool Number	Page Number
AC	1	G	23	50	26
ACL	2	H	23	72	26
ACL		J	23	73	38
Display	2	K	37, 38	74	38
AT	3	L	23	95	35
BC	1	LS	23	101	39
C	6	M	25	160	36
CD1	52	P27	24	161	36
CD2	52	P210	24	164	36
CH	15	PB121	55, 56	165	36
CHB10	16	PB122	55, 56	166	36
CHB11	16	PB123	55, 56	167	36
CHB20	16	PB124	55, 56	175	36
CS	13	PB125	55, 56	260	36
CSB12	14	PB127	55, 56	264	26
CSB15	14	PB128	55, 56	265	26
CSB18	14	PB129C		282	26
CSD	13		55, 56	368	40
CSDB10	14	PB129P		369	40
CSMB34	17		55, 56	370	40
CT	11	PB1211	55, 56	383	41
CTD	11	PB1212	55, 56	384	41
CTF	11	PB1213A		384-HL	44
CTB10	12		55, 56	385	41
CTB14	12	PB1213B		385-HL	44
CTB30	12		55, 56	386	41
CTDB8	12	PB1214	55, 56	386-20	43
CTFB7	12	PB1216	55, 56	386-30	43
CM	9	PB1217	55, 56	386-40	43
CMB11	10	PB1221	55, 56	387-2	43
CMB16	10	PB1222	55, 56	486	35
D	23	CRD1	17	487	35
DB121	48	RP-A	5	488	35
DB122	48	RP-AC	5	489	35
DB123	48	RP-AT	5	490	35
DB124	49	S	32	542	27
DB125	49	T	32	622	22, 27
DB126	49	TB50	18	650	27
DB127	49	TB60	18	654	27
DB128	49	TB90	18	742	27
DB129	49	TK31	44	750	45
DB1210	50	TK32	44	777	27
DB1211	50	TP1105	8	888	28
DB1212	50	TP1106	8	940	28
DB1213	50	TP1705	8	942	22, 28
DB1214	50	TP1706	8	942SC	28
DB1215	50	TR1105	7	943	28
DB1216	51	TR1106	7	945SC	28
DB1217	51	TR1111	7	1000	28
DB1218	51	TR1114	8	1033	29
DB1219	51	TR1705	7	1033SC	29
DB1220	52	TR1706	7	1034	29
DB1221	52	TR1713	8	1035	29
DB1222	52	TR8705	7	1036	29
DB1223	52	TR8706	7	1042	34
DB241	54	U	32	1044	34
DB242	54	V	31	1044N	34
DB243	54	WH	20	1046	34
DB246	54	WS	19	1047	34
DB247	54	1	39	1049	34
DB248	54	13	39	1060	34
DB249	54	15	39	1061	34
DB2410	54	20	25	1239	34
DB2411	54	20SC	25	1439	34
FS1	54	21	22, 25	1907	29
FS2	53	22	22, 25	1936	30
FS3	53	22SC	25	1950	30
FS4	53	23	25	2150	30
		24	26	3800	30

CRESCENT TOOLS
Give Wings to Work ®

Designed
and Printed in
Jamestown, N.Y.
United States of America
by the
CRESCENT
Organization